





cirugía y ortopedia

www.orted.mx contacto@orted.mx 844 416 2536

2024 CATALOG

Empowering Healthcare with Advanced Radiation Protection

Table of Contents

About INFAB	3
Revolution Aprons	4
Revolution Apron Sizing Chart	6
Revolution Apron Colors	20
Classic Aprons	24
Classic Apron Sizing Chart	26
Classic Apron Colors	39
Lightning Aprons	50
Smart Track	52
Accessories	54
Scatter Armor Shields	64
C-Arm Drapes	66
Cassette Covers	68
Glasses	70
Gloves	93
Barriers	99
Lockers	108
Apron Racks	110
Curtains	119
Patient Protection	125
Patient Positioning	128
Certification	133
Terms & Conditions	134

Engage & Discover

Join our social channels for the latest in radiation protection and community insights.







InstagramFollow our visual journey and product highlights.



X (Formerly Twitter) Get the latest news and engage with us.



YouTubeWatch our how-to's and product insights.



FacebookJoin our community for updates and exclusive content.



LinktreeScan to find all of our socials in one click.

^{*} Product availability and details may change at any time. For current information and availability, please view our online catalog at https://www.infabcorp.com/catalog.



About Us

- **Pioneering Advanced Safety:** Designing and manufacturing innovative radiation protection products since 1981.
- American Craftsmanship: Committed to quality with products proudly made in the USA.
- **Technological Breakthroughs:** Our lightest, yet most protective lead-free technology to date.
- **Industry Benchmarks:** Consistently elevating the standards for personal radiation protection.

Our Mission & Vision

- **Healthcare Longevity:** Dedicated to enhancing the welfare of healthcare professionals through superior protection products.
- **Innovation Leader:** Spearheading the development of lightweight, ergonomic protection that healthcare professionals trust.
- **Global Stewardship:** Fostering a sustainable future with products designed to support healthcare across the globe.

Connect with Our Sales Team

- Responsive Service: Reach out for personalized assistance Monday Friday, 6:30 AM 5 PM (PT).
- **Direct Support Line:** (805) 987-5255

 Talk to a specialist who understands your needs.
- Email Inquiry: info@infabcorp.com
 For detailed product information and support.
- Explore Our World: www.INFABCORP.com
 Discover our full range of protective solutions.

REVOLUTION

Key Features



brrr° Cooling Interior Fabric



Abrasion Resistant



Flame Resistant



Water Resistant



Bacteria Resistant



Smart Track



Monograms can be added either in "Block" or "Script" to any INFAB Aprons

How to Measure for Your New Apron

- Take all measurements with a cloth measuring tape.
- · Measurements should be taken over your clothing.
- Do not attempt to take your own measurements. You should request the help of an assistant for best accuracy.
- Refer to the Find Your Size diagram for proper location of measurements.
- Some apron patterns are cut for specific genders. In these
 instances, if users of various genders will be sharing
 aprons, plan to consider male size options. If aprons are
 being purchased for separate gender use, plan to select
 the specific gender of the wearer(s) to ensure the best
 protection/fit.
- Once all measurements have been taken, refer to our sizing chart to find your size.
- If it is determined that a user is between sizes, consider the larger size. Garments that are too big may be made smaller; however, garments that are too small cannot be made larger.

The Tools You Will Need



Cloth Measuring Tape



Pencil & Paper



Measuring Assistant

REVOLUTION | FEMALE SIZING

Revolution Vest Length (*)

Location	ion xSmall, Small, Medium, Large, xLarge			
Front	22" / 56 cm	24" / 61 cm		
Back	26" / 66 cm	28" / 66 cm		

Revolution Skirt Length (*)

Location	xSmall, Small, Medium, Large, xLarge, 2xLarge
Wraparound	22" / 56 cm

Revolution Front Panel Apron Length (*)

Location	xSmall, Small, Medium, Large, xLarge, 2xLarge
Front	38" / 97 cm

Revolution Full Wrap Apron Length (*)

Location	xSmall, Small, Medium, Large, xLarge, 2xLarge
Wraparound	38" / 97 cm

Find Your Size

Available Length
Alteration of (±2" or ±4")

Measure from high point shoulder to about 1" above the knee. This will be your one piece apron length.



SPECIAL SIZING

If you see these icons, it means that the apron has its own unique measurements.

Measure from high point shoulder to desired skirt belt line. Then add 4" to find your vest length.

Measure from your desired skirt belt line to about 1" above the knee. This will be your skirt length.

Revolution 903 Vest Sizing

Location	xSmall	Small	Medium	Large	xLarge	2xLarge
Chest (C)	33"-34" / 84-86 cm	35-36" / 89-91 cm	37-38" / 94-97 cm	39-40" / 99-102 cm	41-42" / 104-107 cm	43-44" / 109-112 cm
Length (L)	21" / 53 cm	21.5" / 55 cm	22" / 56 cm	22.5" / 57 cm	23" / 58 cm	23.5" / 60 cm

Revolution 903 Skirt Sizing

Location	xSmall	Small	Medium	Large	xLarge	2xLarge
Waist (W)	25-27" / 64-67 cm	28-30" / 71-76 cm	31-33" / 79-84 cm	34-36" / 86-91 cm	37-39" / 94-99 cm	40-42" / 102-107 cm
Length (L)	22" / 56 cm	22" / 58 cm	22" / 58 cm			

603 Unisex Sizing

Location	xSmall	Small	Medium	Large	xLarge	2xLarge
Chest (C)	30-33" / 76-84 cm	34-37" / 86-94 cm	38-41" / 97-104 cm	42-45" / 107-114 cm	46-49" / 117-125 cm	50-52" / 127-132 cm
Waist (W)	25-27" / 64-67 cm	28-31" / 71-79 cm	32-35" / 81-89 cm	36-39" / 91-99 cm	40-43" / 102-109 cm	44-46" / 112-117 cm

HELPFUL HINTS

Chest (C): Measure widest part 1" below armhole.

Waist (W): Measure narrowest part 1" above navel.


Hips (H): Measure widest part of hips.

Length (L): We recommend 1" above the knee.

Female Measurements (Applies to All *)

Location	xSmall	Small	Medium	Large	xLarge	2xLarge
Chest (C)	30-32" / 76-81 cm	33-36" / 84-91 cm	37-39" / 94-99 cm	40-42" / 102-107 cm	43-45" / 109-114 cm	46-48" / 117-122 cm
Waist (W)	25-27" / 64-67 cm	28-30" / 71-76 cm	31-33" / 78-84 cm	34-36" / 86-91 cm	37-39" / 94-99 cm	40-42" / 102-107 cm

Contact us for sizes above 2XL



Revolution Vest Length (*)

Location	Small, Medium, Large, xLarge	2xLarge
Front	24" / 61 cm	26" / 66 cm
Back	28" / 71 cm	30" / 71 cm

Revolution Skirt Length (*)

Location	Small, Medium, Large, xLarge, 2xLarge
Wraparound	22" / 56 cm

Revolution Front Panel Apron Length (*)

Location	Small, Medium, Large	xLarge	2xLarge
Front	38" / 97 cm	42" / 107 cm	44" / 112 cm

Revolution Full Wrap Apron Length (*)

Location	Small, Medium, Large, xLarge, 2xLarge
Wraparound	38" / 97 cm

Revolution 903 Vest Sizing

Location	Small	Medium	Large	xLarge	2xLarge
Chest (C)	37-38" / 94-97 cm	39-40" / 99-102 cm	41-42" / 104-107 cm	43-44" / 109-112 cm	45-46" / 114-117 cm
Length (L)	24.5" / 62 cm	25" / 63.5 cm	25.5" / 65 cm	26" / 66 cm	26.5" / 67 cm

Revolution 903 Skirt Sizing

Location	Small	Medium	Large	xLarge	2xLarge
Waist (W)	28-31" / 71-79 cm	32-35" / 81-89 cm	36-39" / 91-99 cm	40-43" / 102-109 cm	44-46" / 112-117 cm
Length (L)	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 58 cm	22" / 58 cm

Male Measurements (Applies to All *)

Length (L): We recommend 1" above the knee.

Location	Small	Medium	Large	xLarge	2xLarge
Chest (C)	34-37" / 86-94 cm	38-41" / 97-104 cm	42-45" / 107-114 cm	46-49" / 117-125 cm	50-52" / 127-132 cm
Waist (W)	28-31" / 71-79 cm	32-35" / 81-89 cm	36-39" / 91-99 cm	40-43" / 102-109 cm	44-46" / 112-117 cm

Contact us for sizes above 2XL

603 Unisex Sizing

Location	Small	Medium	Large	xLarge	2xLarge
Chest (C)	34-37" / 86-94 cm	38-41" / 97-104 cm	42-45" / 107-114 cm	46-49" / 117-125 cm	50-52" / 127-132 cm
Waist (W)	28-31" / 71-79 cm	32-35" / 81-89 cm	36-39" / 91-99 cm	40-43" / 102-109 cm	44-46" / 112-117 cm

Revolution Core Material Configurations




Non-Overlapping Sections

PARTIAL OVERLAP


REVOLUTION Vests and Full Wrap Aprons DO NOT REQUIRE a full overlap to achieve the stated protection level shown. Skirt Aprons REQUIRE a full overlap to achieve the stated protection level shown.

MODELS: 203, B203 **MODELS:** 103, B103, L103, BL103 H .25mm LE ⊢ H .35mm LE ⊢ H .50mm LE ⊢ → .35mm LE


→








.50mm LE Standard Configuration



Overlapping panels offer extra protection.



.50mm LE Standard Configuration

Revolution Core Material Configurations





NO OVERLAP


REVOLUTION Front Wrap Aprons achieve the stated protection level shown.

FULL OVERLAP


REVOLUTION 703 and 803 Aprons *REQUIRE* a full overlap to achieve the stated protection level shown.

MODELS: 303, B303, 403, B403, 503, B503, 603, B603


MODELS: 703, 803



The 603 and B603 back panels are .25mm LE



.50mm LE Standard Configuration



.50mm LE Standard Configuration

All non-overlapping panels are .25m LE

REVOLUTION












L103 Revolution Lumbar Vest & Skirt

- Built-in "Black Belt" in vest and skirt for better lumbar support
- Partial overlap to increase protection
- Features interior pocket on both vest and skirt
- "Back Flap" for better weight balance
- brrr° Cooling Interior Fabric
- Professionally designed for an exceptional fit and comfort
- SmartTrack Track enabled

Model	Description
L103	Revolution Lumbar Vest and Skirt
L103V	Revolution Lumbar Vest
L103S	Revolution Lumbar Skirt
Colors	500, 600, 700, 800, 900, Remix
Core	Lead, Lead-Free
Protection	.25mm LE, .35 mm LE, .50mm LE
Sizes	Male S-2XL Female XS-2XL Length alterations ±2"or ±4"
Fabric	Revolution Fabric with brrr° Cooling Fabric
Optional Base	BL103 Classic Nylon Colors without brrr° Cooling Fabric (Custom alterations)
Monogram	Block or <i>Script</i>














Model Description 103 Revolution Vest and Skirt 103V Revolution Vest 103S Revolution Skirt Colors 500, 600, 700, 800, 900, Remix Core Lead, Lead-Free Protection .25mm LE, .35 mm LE, .50mm LE Sizes Male S-2XL Female XS-2XL Length alterations ±2"or ±4" Fabric Revolution Fabric with brrr° Cooling Fabric B103 Classic Nylon Colors without brrr° Cooling Fabric Optional Base (Custom alterations) Monogram Block or Script

103Revolution Vest & Skirt

- Features interior pocket on both vest and skirt
- "Back Flap" for better weight balance
- Removable Black Belt® in skirt for better lumbar support
- Partial overlap to increase protection
- brrr° Cooling Interior Fabric
- Professionally designed for an exceptional fit and comfort
- SmartTrack enabled

REVOLUTION











203Revolution Full Wrap Black Belt

- Partial overlap to increase protection
- Hook and loop closure side slits for increased mobility
- brrr° Cooling Interior Fabric
- Professionally designed for an exceptional fit and comfort
- Snap on, fully adjustable Black Belt® for lumbar support
- SmartTrack enabled

Model	Description
203	Revolution Full Wrap Black Belt
Colors	500, 600, 700, 800, 900, Remix
Core	Lead, Lead-Free
Protection	.25mm LE, .35mm LE, .50mm LE
Sizes	Male S-2XL Female XS-2XL Length alterations ±2"or ±4"
Fabric	Revolution Fabric with brrr° Cooling Fabric
Optional Base	B203 Classic Nylon Colors without brrr° Cooling Fabric (Custom alterations)
Monogram	Block or 8cript











Model	Description
303	Revolution Front
Colors	500, 600, 700, 800, 900, Remix
Core	Lead, Lead-Free
Protection	.25mm LE, .35 mm LE, .50mm LE
Sizes	Male S-2XL Female XS-2XL Length alterations ±2"or ±4"
Fabric	Revolution Fabric with brrr° Cooling Fabric
Optional Base	B303 Classic Nylon Colors without brrr° Cooling Fabric (Custom alterations)
Monogram	Block or <i>Script</i>

303 **Revolution Front**

- Criss-cross back straps to provide weight relief and lumbar support
 brrr° Cooling Interior Fabric
- Professionally designed for an exceptional fit and comfort
- SmartTrack enabled

REVOLUTION









Color Shown: 513 Tide Red - Black Block

403 Revolution Front Elastic Back


- Criss-cross elastic back straps to provide weight relief and lumbar support
- brrr° Cooling Interior Fabric
- Professionally designed for an exceptional fit and comfort
- SmartTrack enabled

Model	Description
403	Revolution Front Elastic Back
Colors	500, 600, 700, 800, 900, Remix
Core	Lead, Lead-Free
Protection	.25mm LE, .35 mm LE, .50mm LE
Sizes	Male S-2XL Female XS-2XL Length alterations ±2"or ±4"
Fabric	Revolution Fabric with brrr° Cooling Fabric
Optional Base	B403 Classic Nylon Colors without brrr° Cooling Fabric (Custom alterations)
Monogram	Block or 8cript









Color Shown: 504 Pink - Black Block

Model	Description
503	Revolution Front Black Belt
Colors	500, 600, 700, 800, 900, Remix
Core	Lead, Lead-Free
Protection	.25mm LE, .35 mm LE, .50mm LE
Sizes	Male S-2XL Female XS-2XL Length alterations ±2"or ±4"
Fabric	Revolution Fabric with brrr° Cooling Fabric
Optional Base	B503 Classic Nylon Colors without brrr° Cooling Fabric (Custom alterations)
Monogram	Block or Script

503 Revolution Front Black Belt

- brrr° Cooling Interior Fabric
 503 comes with a snap on, fully adjustable Black Belt®
- Professionally designed for an exceptional fit and comfort
- SmartTrack enabled

REVOLUTION









Color Shown: 602 Black - Fuchsia Block

603Revolution Full Wrap Elastic Back

- brrr° Cooling Interior Fabric
- Professionally designed for an exceptional fit and comfort
- SmartTrack enabled


Model	Description
603	Revolution Full Wrap Elastic Back
Colors	500, 600, 700, 800, 900, Remix
Core	Lead, Lead-Free
Protection	.25mm LE, .35 mm LE, .50mm LE
Sizes	Unisex XS-2XL Length Alterations ±2"or ±4"
Fabric	Revolution Fabric with brrr° Cooling Fabric
Optional Base	B603 Classic Nylon Colors without brrr° Cooling Fabric (Custom alerations)
Monogram	Block or <i>Script</i>








Color Shown: 510 Purple - Black Block





703Revolution Full Overlap Lumbar Vest & Skirt

- Full overlap
- Built-in Black Belt® in vest and skirt for better lumbar support
- brrr° Cooling Interior Fabric
- Professionally designed for an exceptional fit and comfort
- SmartTrack enabled

REVOLUTION









Color Shown: 515 Orange - Black Block

803Revolution Black Belt® Wrap

- Full overlap
- Hook and loop closure side slits for increased mobility
- brrr° Cooling Interior Fabric
- Professionally designed for an exceptional fit and comfort
- Snap on, fully adjustable Black Belt®
- SmartTrack enabled


Model	Description
803	Revolution Black Belt Wrap
Colors	500 Series, 600 Series, 700 Series, 800 Series, 900 Series, Remix
Core	Lead, Lead-Free
Protection	.50mm LE
Sizes	Female XS-2XL Male S-2XL Length Alterations ±2"or ±4"
Fabric	Revolution Fabric with brrr° Cooling Fabric
Monogram	Block or <i>Script</i>







Color Shown: 512 Ducks Green - Black Block





903Revolution Reverse Vest & Skirt

- Criss-cross elastic back straps to provide weight relief and lumbar support
- Adjustable shoulder strap ensures a precise fit
- brrr° Cooling Interior Fabric
- Professionally designed for an exceptional fit and comfort
- SmartTrack enabled

Revolution Colors

Color

700 SERIES




Color + Black

500 SERIES



Color Shown: 506




511 White -Black Block

Black + Color

600 SERIES



Color Shown: 606



Coral Block

611 Black -

White Block

Color + White

800 SERIES



Color Shown: 806





Black -White Block

Revolution Colors

White + Color

900 SERIES



Color Shown: 906



White -Black Block

Color + Color

REMIX SERIES





713 - Tide Red

Revolution Base



BL103 Vest & Skirt Lumbar Belt



B103 Vest & Skirt



B203Full Wrap Apron Lumbar Belt



B303Front Panel Apron



B403Front Panel Apron - Elastic Back



B503Front Panel Apron - Lumbar Belt



B603Full Wrap Apron Elastic Back

Revolution Base offers all the comfort and protection of our premium Revolution line, but with our classic nylon colors and patterns. Revolution Base does not include Revolution Fabric, Color-Blocking or brrr° Cooling Fabric.

Size Female XS-2XL Male S-2XL

Fabric Nylon

Protection .25mm LE, .35mm LE, and .50mm LE (Options Vary per Model)

Core Lead or Lead-Free

Color Classic color & patterns options only

Classic Aprons

Key Features



Water Resistant



Abrasion Resistant



Flame Resistant



Smart Track



Bacteria Resistant



Custom Patterns



How to Measure for Your New Apron

- Take all measurements with a cloth measuring tape.
- Measurements should be taken over your clothing.
- Do not attempt to take your own measurements. You should request the help of an assistant for best accuracy.
- Refer to the Find Your Size diagram for proper location of measurements.
- Some apron patterns are cut for specific genders. In these
 instances, if users of various genders will be sharing
 aprons, plan to consider male size options. If aprons are
 being purchased for separate gender use, plan to select
 the specific gender of the wearer(s) to ensure the best
 protection/fit.
- Once all measurements have been taken, refer to our sizing chart to find your size.
- If it is determined that a user is between sizes, consider the larger size. Garments that are too big may be made smaller; however, garments that are too small cannot be made larger.

The Tools You Will Need



Cloth Measuring Tape



Pencil & Paper



Measuring Assistant

Find Your Size

HELPFUL HINTS

Chest (C): Measure widest part 1" below armhole.

Waist (W): Measure narrowest part 1" above navel.

Hips (H): Measure widest part of hips.

Length (L): We recommend 1" above the knee.

Classic Front Panel Apron Length (*)

Location	xSmall, Small, Medium, Large, xLarge, 2xLarge
Front	38" / 97 cm

Classic Full Wrap Apron Length (*)

Location	xSmall, Small, Medium, Large, xLarge, 2xLarge
Wraparound	38" / 97 cm

Measure from high point shoulder to about 1" above the knee. This will be your one piece apron length. If you see this icon, it means that the apron has its own unique measurements.

SPECIAL

Measure from high point shoulder to desired skirt belt line. Then add 4" to find your vest length.

Measure from your desired skirt belt line to about 1" above the knee. This will be your skirt length.

Reverse & Elastic Vest Sizing (*)

Location	xSmall	Small	Medium	Large	xLarge	2xLarge
Length (L)	24" / 61 cm	24" / 61 cm	26" / 66 cm	27" / 69 cm	28" / 71 cm	29" / 74 cm

Classic Vest Sizing (*)

Location	xSmall	Small	Medium	Large	xLarge	2xLarge
Length (L)	20" / 51 cm	22" / 56 cm	24" / 61 cm	25" / 64 cm	26" / 66 cm	27" / 69 cm

Classic Skirt Sizing (*)


Location	xSmall	Small	Medium	Large	xLarge	2xLarge
Length (L)	18" / 47 cm	20" / 51 cm	22" / 56 cm	23" / 58 cm	24" / 61 cm	25" / 64 cm

Available Length Alterations in increments of ±1"

Female Measurements (Applies to All *)

Location	xSmall	Small Small Medium		Large	xLarge	2xLarge
Chest (C)	30-32" / 76-81 cm	33-36" / 84-91 cm	37-39" / 94-99 cm	40-42" / 102-107 cm	43-45" / 109-114 cm	46-48" / 117-122 cm
Waist (W)	25-27" / 64-67 cm	28-30" / 71-76 cm	31-33" / 78-84 cm	34-36" / 86-91 cm	37-39" / 94-99 cm	40-42" / 102-107 cm

Contact us for sizes above 2XL



Find Your Size

HELPFUL HINTS

Chest (C): Measure widest part 1" below armhole.

Waist (W): Measure narrowest part 1" above navel.

Hips (H): Measure widest part of hips.

Length (L): We recommend 1" above the knee.

Classic Front Panel Apron Length (*)

Location	Small, Medium, Large	xLarge	2xLarge
Front	38" / 97 cm	42"/107 cm	44"/112 cm

Classic Full Wrap Apron Length (*)

Location	Small, Medium, Large, xLarge, 2xLarge
Wraparound	38" / 97 cm

Reverse & Elastic Vest Sizing (*)

Location	Small	Medium	Large	xLarge	2xLarge
Length (L)	25" / 64 cm	27" / 69 cm	28" / 71 cm	30"/76 cm	30"/76 cm

Classic Vest Sizing (*)

apron length.

Location	Small	Medium	Large	xLarge	2xLarge
Length (L)	22" / 56 cm	24" / 61 cm	25" / 64 cm	26" / 66 cm	28" / 71 cm

Classic Skirt Sizing (*)

Location	Small	Medium	Large	xLarge	2xLarge
Length (L)	20" / 51 cm	22" / 56 cm	23" / 58 cm	24" / 61 cm	25" / 64 cm

Male Measurements (Applies to All *)

Location	Small	Medium	Large	xLarge	2xLarge
Chest (C)	34-37" / 86-94 cm	38-41" / 97-104 cm	42-45" / 107-114 cm	46-49" / 117-125 cm	50-52" / 127-132 cm
Waist (W)	28-31" / 71-79 cm	32-35" / 81-89 cm	36-39" / 91-99 cm	40-43" / 102-109 cm	44-46" / 112-117 cm

Contact us for sizes above 2XL

Classic Core Material Configurations




Non-Overlapping	Sections

FULL OVERLAP


CLASSIC Full Wrap Vest and Skirt Aprons REQUIRE a full overlap to achieve the stated protection level shown.

CLASSIC: VAS

CLASSIC: LSW, FCW



.50mm LE Standard Configuration



.50mm LE Standard Configuration

Classic Core Material Configurations






NO OVERLAP

CLASSIC Front Wrap Apron's and Vest's achieve the stated protection level shown.

Only the CLASSIC Skirt *REQUIRE* a full overlap to achieve the stated protection level shown.

CLASSIC: AWC, EBA, LSF, MWA, WBT, SPL, SDO, SDA, TFAM, DTL-TECH, DTL-PANO, DTL-ADULT, DTL-ADULT-TC, DTL-CHILD, DTL-CHILD-TC • EVAS, RVAS



VAS Vest and Skirt







The Classic Vest and Skirt apron provides full overlap protection and maximum weight distribution between the shoulders and hips, eliminating stress on the upper and lower back. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

RVAS Reverse Vest & Skirt









The Reverse Vest and Skirt apron provides maximum weight distribution. Criss-cross elastic back straps provide weight relief and lumbar support, while the adjustable shoulder strap ensures a precise fit. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)


FABRIC: Nylon (with a double welt pocket)

PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

EVAS Elastic Vest & Skirt



The Elastic Vest and Skirt apron provides maximum weight distribution. Criss-cross elastic back straps provide weight relief and lumbar support, while the adjustable back strap ensures a precise fit. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 28-29)FABRIC:Nylon (with a double welt pocket)PROTECTION:.25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

LSW Full Overlap with Lumbar Belt



The Black Belt Full Wrap apron offers maximum protection with full overlap, featuring a snap-on, fully adjustable lumbar Black Belt®. This apron combines comfort with superior lumbar support, which reduces fatigue and upper back stress during lengthy procedures. Built-in slits on each side with hook and loop closures provide increased mobility. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

MWA Special Wrap







The Special Wrap apron is uniquely designed to offer full protection with an adjustable shoulder strap and front belt buckle closure. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

Nylon (with a double welt pocket) **FABRIC:**


PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free


PRINT: Solid and pattern options (Pages 41-51)

Full Coat Wrap









The Full Coat Wrap offers maximum front and back full overlap protection. Built-in slits on each side with hook and loop closures provide increased mobility. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

Nylon (with a double welt pocket) **FABRIC:**

PROTECTION: .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

AWC Weight Reliever







The Weight Reliever front protection apron features side closure straps at the waist which relieve weight from the shoulders and adjust for the most comfortable fit. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

EBA Elastic Back







The Elastic Back front protection apron features elastic side closure straps providing weight relief, comfort, and flexibility. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

Black Belt Front







The Black Belt Front Protection apron provides frontside body protection while offering snap-on, fully adjustable Black Belt® lumbar support. The built-in back strap provides better weight distribution between the shoulders and waist. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .25mm LE, .35mm LE, and .50mm LE


CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

WBT Wide Belt









The Wide Belt apron offers frontside protection with a belt and buckle closure, adjustable for a comfortable fit. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

SPL Budget Saver







The Budget Saver front protection apron features criss-cross tie straps for a secure, snug fit and comfortable shoulder pads. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

FABRIC: Nylon

PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

SDO Surgery Drop Off







The Surgery Drop Off front protection apron is designed to be removed without breaking the sterile field. Additional handle straps located on top of shoulders for easy removal or drop off. Attaches in the front with hook and loop closures. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

SDA Surgery Drop Away







The Surgery Drop Away front protection apron features hook and loop closures at the top of each shoulder for easy removal without breaking the sterile field. The back strap provides a secure fit. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 28-29)FABRIC:Nylon (with a double welt pocket)PROTECTION:.25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

TFA Tri-Flap







The Tri-Flap apron features a split front panel to provide protection and comfort while seated. Criss-cross straps attach in front with a hook and loop closure. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 28-29)FABRIC:Nylon (with a double welt pocket)

PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

DTL-TECH Dental Technician Apron

DTL-PANO Pano Cape Dental Apron





The Dental Technician Apron front protection apron features criss-cross tie straps for a secure, snug fit and comfortable shoulder pads. SmartTrack enabled.

SIZE: 24" W x 36" L

FABRIC: Nylon

PROTECTION: .35mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

The Pano Cap Dental Apron drapes over your patient's shoulders. The inner liner of this cape uses a non-slip material and fastens in the back with a hook and loop closure. SmartTrack enabled.

SIZE: 23" W x 25" L

FABRIC: Nylon

PROTECTION: .35mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

DTL-ADULT Adult Dental Apron



The Adult Dental Apron provides front protection for the patient, using a non-slip material to keep it firmly in position. An attached thyroid collar option is available in this style. SmartTrack enabled.

SIZE: 24" W x27" L

FABRIC: Nylon

PROTECTION: .35mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

DTL-CHILD Child Dental Apron



The Child Dental Apron provides front protection for the patient, using a non-slip material to keep it firmly in position. An attached thyroid collar option is available in this style. SmartTrack enabled.

SIZE: 18" W x 24" L

FABRIC: Nylon

PROTECTION: .35mm LE

CORE: Lead, Lead-Free

PRINT: Solid and pattern options (Pages 41-51)

Apron Colors

We use high quality nylon and polyester fabrics for all of our products. A polyurethane coating seals the cloth from fluid penetration

and makes it easier to clean.

Color-fast dyes won't transfer to your clothing. Colors and patterns may be added and discontinued at any time.



Nature









SH-32 Orange Hibiscus

180 Orange Hawaii



LT221-16 Lovely Lemons





All Patterns Available on Classic & **Revolution Base Aprons**

LT222-37 Perfect Petals









217: Mardi Gras











SH-54 Lightning

LT222-35 Fancy Foliage

208 Blue Wash


















SH-31 Sugar Skulls









SH-22 Fitness





SH-17 Race Car

Sports

185 White Dots on Pink


SH-25 Emoji

SH-21 Volleyball

265 Chicklets Purple

SH-9 Sports

Camo 201 Digital Camo 268 Digital Camo Black 120 Camouflage SH-18 Shape Camo MIR215-55 Navy Camo 184 Pink Camouflage SH-6 Color Camo MIR215-51 Blue Camo TRTB-NC65 Timber Camo **Abstract** SH-27 Orange Blocks SH-42 80's SH-7 Metallic Splatter SH-2 Blocks All Patterns Available on Classic & **Revolution Base** Aprons SH-23 Art Deco LT222-36 Marble Geo LT221-13 Gold Geo 176 Rainbow Wave



Wildlife



SH-52 Mixed Dogs



SH-40 Frenchies



SH-44 80's Abstract Frenchies



SH-37 Dachshund



SCP304-09 Dog Paw



167 Cheetah



CAS009-33 Wildcat Pink



214 Animal Print Pink



212 Animal Print Blue



SH-10 Cats



266 Tiger Skin



263 Chocolate Giraffe



SH-50 Colorful Cats



SH-26 Peacock



SH-55 Ocean Life



SH-30 Sharks



SH-8 Fish Bones



262 Black Butterflies



SH-15 Flamingo



182 Sheep in Clouds



SH-53 Happy Hippo



LT222-33 Great Outdoors



LT221-23 Buzzing Bees



SH-14 Dino Fossil



SH-36 Colored Fossils





SH-48 Black Unicorn



SH-12 Unicorn



172 Puppies



SCP320-09 Dalmation



SCP418-00 Zebra



MIR280-03 Galaxy-Grey





SH-5 Teeth



211 Peace



252 Steel



SCP084-60 Dancing Zebras



219 Pink Paws

Leaving Soon




Colors and patterns may be added or discontinued at any time. For the most up-to-date list of apron colors, visit www.infabcorp.com/colors.

SCP258-54 Vintage Postcard

A STANSON OF THE STAN

177 Butterflies



SH-58 Wine Grapes




SCP139-13 Green Lantern



174 Leather



106 Chocolate





103 Taupe



MIR222-55 Denim Pockets



MIR280-08 Galaxy-Royal



188 American Graffiti



SH-51 Dice



TFX755-45 Purple Plaid



SCP337-57 American Stars



SCP243-06 Grey Skulls



TRP539-07 Dila Dot



215 Worn Grey Jeans



LT221-10 Hot Hoops

CLASSIC Ripstop

Ripstop fabrics are woven fabrics, often made of nylon, using a special reinforcing technique that makes them resistant to tearing and ripping. A polyurethane coating seals the cloth from fluid penetration and makes it easier to clean. Color-fast dyes won't transfer to your clothing.





Model: B103 Print Shown: 194 Burgundy Diamond Ripstop

Trim Colors

INFAB offers a variety of colors for your apron. Color-fast dyes won't transfer to your clothing. Colors and patterns may be added and discontinued at any time. For the most up to date list of apron colors, visit www.infabcorp.com/colors







Monogram

INFAB offers customized monograms in Block or Script styles to personalize your radiation protection aprons.

Block

AaBbCcDdEeFfGg HhliJjKkLIMmNnOo PpQqRrSsTtUuVv WwXxYyZz 1234567890

Script

AaBb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn Oo Pp Qq Rr 8s Tt Uu Vv Ww Xx Yy Zz 1234567890

LIGHTMING

Quick Ship Aprons







Smart Track



Abrasion Resistant



Ready to Ship

Flame Resistant



Water Resistant



Bacteria Resistant

Available in Six Colors



114: Black



108: Royal Blue



205: Charcoal



119: Purple

105:

Red



117: Teal

Lightning Vest & Skirt



Model: UVS Color Shown: Purple

The Lightning Vest and Skirt apron provides partial overlap protection and maximum weight distribution between the shoulders and hips, eliminating stress on the upper and lower back. SmartTrack enabled.

SIZE: Small - 2xLarge

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .35mm LE, and .50mm LE

CORE: Lead-Free, Lead,

COLORS: Black, Blue, Charcoal, Purple, Red, Teal

Size	Chest	Waist	Vest Front	Skirt
S	34-37" / 86-94 cm	28-31" / 71-79 cm	24" / 61 cm	20" / 51 cm
М	38-41" / 97-104 cm	32-35" / 81-89 cm	24" / 61 cm	22" / 56 cm
L	42-45" / 107-114 cm	36-39" / 91-99 cm	24" / 61 cm	23" / 58 cm
XL	46-49" / 117-125 cm	40-43" / 102-109 cm	24" / 61 cm	24" / 61 cm
2XL	50-52" / 127-132 cm	44-46" / 112-117 cm	24" / 61 cm	25" / 64 cm

UFW Lightning Full Wrap



The Lightning Full Wrap offers maximum front and back partial overlap protection. Built-in slits on each side with hook and loop closures provide increased mobility. SmartTrack enabled.

SIZE: Small - 2xLarge

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .35mm LE, and .50mm LE

CORE: Lead-Free, Lead,

COLORS: Black, Blue, Charcoal, Purple, Red, Teal

Size	Chest	Waist	Length
S	34-37" / 86-94 cm	28-31" / 71-79 cm	38" / 97 cm
М	38-41" / 97-104 cm	32-35" / 81-89 cm	38" / 97 cm
L	42-45" / 107-114 cm	36-39" / 91-99 cm	38" / 97 cm
XL	46-49" / 117-125 cm	40-43" / 102-109 cm	38" / 97 cm
2XL	50-52" / 127-132 cm	44-46" / 112-117 cm	38" / 97 cm

UFP Lightning Front Protection





The Lightning Front Protection apron features side closure straps at the waist which relieve weight from the shoulders and adjust for the most comfortable fit. SmartTrack enabled.

SIZE: Small - 2xLarge

FABRIC: Nylon (with a double welt pocket)

PROTECTION: .35mm LE, and .50mm LE

CORE: Lead-Free, Lead,

COLORS: Black, Blue, Charcoal, Purple, Red, Teal

Size	Chest	Waist	Length
S	34-37" / 86-94 cm	28-31" / 71-79 cm	38" / 97 cm
М	38-41" / 97-104 cm	32-35" / 81-89 cm	38" / 97 cm
L	42-45" / 107-114 cm	36-39" / 91-99 cm	38" / 97 cm
XL	46-49" / 117-125 cm	40-43" / 102-109 cm	38" / 97 cm
2XL	50-52" / 127-132 cm	44-46" / 112-117 cm	38" / 97 cm





Track & Document Lead **Apron Inspections**

Manage all of your lead aprons in one place with Smart Track, the completely FREE and secure web-based garment tracking system.



HOW IT WORKS

- Download the free app.
- Create your Smart Track account.
- Add your garments.
- Document your inspections.
- Set inspection reminders.
- Export and download reports.

KEY FEATURES

- No Software & No Registration
- Garment Dashboard
- **Custom Reports**
- **Bulk Uploads & Editing**
- Filtered Search
- + More!









TRACK ANY GARMENT

Use your existing garment IDs or add Smart Track Retrofit Tags to any apron to get started. Smart Track Retrofit Tags feature unique IDs that can be scanned with the Smart Track App or any 2D scanner.











SMART TRACK

B-002501

Annual Inspection Stickers

SMART TRACK Scanner

SMART TRACK 2D bar code tags with permanent securitystyle backing

TESTIMONIALS

"Smart Track makes it simple to manage my suite of lead aprons. We track over 100 aprons - it saves time and headaches."

Rich Norman – Lead Tech Los Robles Hospital, Thousand Oaks, CA

"Tracking lead aprons and making sure that they have been inspected is a challenge for any large radiology facility. Of the many apron-tracking systems I reviewed, I knew that the "SMART TRACK" apron inventory system would work for our facility and meet new regulatory standards set by "The Joint Commission"...The system is user friendly. All I know is that anyone who has the burden of tracking aprons needs to get "Smart" about tracking their apron inventory".

Roseann Zeldin, RT, (R) (M), CNMT – Assistant Radiation Safety Officer Department of Radiology & Imaging Hospital for Special Surgery New York City, New York

"The SMART TRACK Apron Inventory system has revolutionized the way lead apron quality control testing and inventory management is performed at our facility. It is a superior, comprehensive, and user-friendly product. Individual bar make tracking aprons quick and easy. It is the best system I have had the opportunity to work with."

Doug Beardsall MRT (R) CTIC – Senior Technologist QC Royal Victoria Regional Health Center Barrie, Ontario



YouTube Videos

Access our helpful videos on how to use the Smart Track App





Targeted Axillary Protection



Female Orthopedic Surgeons and Radiologic Technologists

THE FACTS

3X higher breast cancer prevalence in female orthopedic surgeons

Upper outer quadrant exposure: 0.40 mrem/hr vs. lower inner quadrant: 0.06 mrem/hr

C-arm positioning impact: Lateral projection 7.5x higher exposure than AP

Fit matters: Improperly sized aprons increase radiation exposure





DEVELOPED WITH DR. LINDSEY VALONE

"Our research revealed that standard aprons leave the axilla dangerously exposed-exactly where many breast cancers develop."

Dr. Lindsey C. Valone, MD Research Partner & Orthopedic Surgeon

The Under-Apron Solution





Targeted Axillary Protection

Critical coverage for commonly exposed areas, regardless of vest size.



Customize to fit your body, ensuring protection without limiting motion.











brrr°
TRIPLE CHILL
EFFECT

Integrated brrr° technology provides continuous cooling, moisture management, and rapid drying for all-day comfort.







MODEL NUMBERS:

PROTECTION:

Cooling Minerals Active Wicking Rapid Drying



Protection Consistent axillary coverage, no matter

which apron you wear.

Your Portable

US

UnderShield™

UnderShield™ provides targeted radiation protection for the axillary region, addressing the critical gap left by standard aprons. This innovative under-apron solution ensures comprehensive coverage for healthcare professionals working in high-radiation environments.

- Targeted axillary protection regardless of vest size
- · Adjustable and flexible design for customized fit
- Exclusive brrr° cooling technology
- · Moisture management and rapid drying
- · Worn under existing radiation aprons
- · Does not limit range of motion

Model / Size	Chest Measurement
US-S	XS/S 33-36" (83.8-91.4 cm)
US-M	M 37-40" (94.0-101.6 cm)
US-L	L 40-43" (101.6-109.2 cm)
US-XL	XL 44-48" (111.8-121.9 cm)
US-2XL	2XL 49-52" (124.5-132.1 cm)
US-3XL	3XL 52-55" (132.1-139.7 cm)

SIZES:	S, M, L, XL, 2XL, 3XL
INNER MATERIAL:	Exclusive brrr° cooling technology
COVERAGE:	Targeted axillary protection
APPLICATION:	Worn under existing aprons
COMFORT:	Cooling, moisture-wicking, rapid drying
DDOTEOTION.	Lead Free (Each panel 0.25 mm LE,

US-S, US-M, US-L, US-XL, US-2XL, US-3XL

0.50 mm LE where overlapped)

REV-TC Revolution Thyroid Collar

SIZES: One size fits most

COLORS: 500 Series, 600 Series, 700 Series, 800 Series, 900 Series, Remix

CORE: Lead, Lead-Free

CLOSURE: Hook and Loop Closure, Buckle

· Large coverage area

• Exclusive Revolution outer fabric

- brrr° Cooling Interior Fabric
- Optional monogram
- · Optional KTC attachment



SVT Visor Style Thyroid Collar

SIZES: X-Small, Standard, Medium

COLORS: All

CORE: Lead, Lead-Free

CLOSURE: Hook and Loop Closure, Buckle

- · Comfortable fit
- · Large coverage area
- Optional monogram
- · Optional KTC attachment



TCV

Thyroid Collar with Binding

SIZES: X-Small, Standard, Medium

COLORS: Revolution 700 series & All Classic Nylon Colors

CORE: Lead, Lead-Free

CLOSURE: Hook and Loop Closure, Buckle or Magnet

· Comfortable fit

- · Large protection area
- · Optional monogram
- Optional KTC attachment



мтс

Magnetic Thyroid Collar

SIZES: X-Small, Standard, Medium

COLORS: All

CORE: Lead, Lead-Free

CLOSURE: Magnet

- Comfortable fit
- · Large coverage area
- Optional monogram
- Optional KTC attachment







NST Thyroid Collar Without Binding

SIZES: X-Small, Standard, Medium

COLORS: Revolution 700 Series & All Classic Nylon Colors

CORE: Lead, Lead-Free

CLOSURE: Hook and Loop Closure, Buckle, Magnet

Comfortable fit

Large protection area

• Optional monogram

• Optional KTC attachment





KTC Attachment Options



KTC Buckle



KTC Key Ring



KTC No Buckle



KTC attachment is now securely positioned on the shoulder of all Revolution aprons.


300102 Thyroid Collar Cover



- Keeps thyroid collars sanitary and clean
- · Attaches easily to NST-S1 & TCV-S1 collars
- Easy to wash or replace when soiled
- Revolution 700 Series & All Classic nylon colors
- Can be monogrammed for personalization and easy identificatior



NSM | Non-Slip Material for Skirts



- Prevents your INFAB skirt from slipping down the waist and causing discomfort
- Can be added to any INFAB skirt by adding part number NSM



Shin Guards

- Reduce radiation exposure to the shins
- Hook and loop closures for easy adjustments

COLORS: Classic nylon colors **SIZES:** Small, Medium, Large

CORE: Lead, Lead-Free

REV-BAG Revolution Apron Bag



- Revolution fabric
- · Plastic bottom to prevent sagging
- Opening on top of bag
- Zipper across the top of bag



909821 Apron Bag



REV-SLV-1 Revolution Attached Thyroid Collar Sleeves



- Revolution outer fabric
- Additional protection for chest
- Wear under any apron

COLORS: Revolution 700 Series

SIZES: Small, Medium, Large, X-Large, XX-Large

CORE: Lead, Lead-Free



REV-SLV-2 Revolution Sleeve Individual



- Revolution outer fabric
- Hook and loop closure elastic strap for easy on/off convenience
- One per order

COLORS: Revolution 700 Series

CORE: Lead, Lead-Free





SLV Optional Left or Right Sleeve

- · Added protection of the arm and shoulder
- .50mm LE
- Available on most INFAB apron models
- Optional removable snap on, permanent sewn on or hook and loop closure attached configuration

COLORS: Revolution 700 Series & All Classic Nylon Colors

ATTACHED: Sewn on, snaps or hook and loop closure

CORE: Lead. Lead-Free



257890

Suspenders

- Fully adjustable suspenders with a handy snap on style.
- · One size fits all.



The Original Black Belt®

The Black Belt® is a 6" wide orthopedic elastic belt that supports your lower back while removing the weight of the apron from your shoulders. Optional KTC Buckle Attachment and/or side snaps.

COLORS: Black

SIZES: X-Small, Small, Medium, Large, X-Large, XX-Large

257879 6" Black Belt® - X-Small 257880 6" Black Belt® - Small 257881 6" Black Belt® - Medium 257882 6" Black Belt® - Large 257883 6" Black Belt® - X-Large 257884 6" Black Belt® - XX-Large



APW | Axillary Protection Wings

Increase the protection to your axillary region without sacrificing any mobility or adding weight to your apron.

COLORS: Revolution 700 Series & All Classic Nylon Colors

CORE: Lead, Lead-Free



Revolution Elastic Back Thinking Cap

Revolution outer fabric
 brrr° Cooling Interior Fabric

• Scatter radiation protection • Elastic-back for easy on/off convenience

SIZE: Small, Medium, Large, X-Large, XX-Large

COLORS: 700 Series Revolution Colors

PROTECTION: .25mm LE, .35mm LE, .50mm LE

CORE: Lead, Lead-Free





Classic Thinking Cap with Tie Straps

Classic nylon colors
 Head and skull radiation protection
 brrr° Cooling Interior Fabric

SIZE: Small, Medium, Large, X-Large, XX-Large

COLORS: Classic Nylon Colors

PROTECTION: .25mm LE, .35mm LE, .50mm LE

CORE: Lead, Lead-Free



400025

Revolution Hook and Loop Closure Back Thinking Cap

Revolution outer fabric

- Scatter radiation protection
- brrr° Cooling Interior Fabric
- · Hook & loop back closure for customizable fit

SIZE: One Size Fits All

COLORS: 700 Series Revolution Colors

PROTECTION: .25mm LE, .35mm LE, .50mm LE

CORE: Lead, Lead-Free





DC-25

Lead-Free Disposable Thinking Cap

- Quantity 20/Case
- .25mm LE
- · Adjusts to fit all head sizes
- For use by all personnel during any interventional procedure
- 100% lead free for easy disposal

SIZE: One Size Fits All

COLORS: Scatter Armor Blue

PROTECTION: .25mm LE **CORE:** Lead-Free







PARTNERING TO KEEP YOUR APRONS CLEAN & SAFE

INFAB is proud to be a global cleaning solutions partner with Clorox.



Excellent product aesthetics

No harsh chemical odor or fumes No fragrance added Nonflammable, unlike quaternary ammonium-alcohol-based wipes No volatile organic compounds (VOCs)

Broad healthcare surface compatibility

Recommended for plastics and laminated surfaces, whereas isopropyl alcohol will attack some forms of plastic, rubber and coatings*

Surface materials: All INFAB aprons, stainless steel, vinyl, glass, baked enamel, chrome, glazed tile, glazed ceramic, glazed porcelain, porcelain enamel, laminated surfaces, plastic

If light residue appears, it can easily be removed with a clean, damp cloth



^{*} Based on 30-second non-TB, non-Staphylococcus epidermidis bacteria and virus contact times for general disinfecting on federal master labels as of 2/14/13.



683447

Revolution Scrubbles Apron Cleaner

Scrubbles apron cleaner safely cleans your aprons of barium, blood and other common radiology related stains. Now with a clean citrus scent and a stronger more efficient formula.

SIZE 32 oz

Also Available 683448

Case of 12 32 oz bottles with Spray Caps



CLX28 Clorox Spray

Recommended for: Multipurpose use on hard and soft surfaces

SIZE 32 oz



CLX24

Clorox Multipurpose Wipes

Recommended for: Everyday cleaning and disinfecting, daily patient room cleaning, hard, hightouch surfaces

SIZE 6.75" x 9"

QTY 95 ct



Scatter protection

Shields provide scatter radiation protection for radial and many other types of procedures.

Our lead-free material is the most protective core material against scatter radiation.

How it works

Sterile Scatter Armor Shields are placed on top of the patient drape to block scatter radiation at the source, creating a scatter-free zone, reducing harmful radiation exposure to the doctor or clinician.

One-time use

Scatter Armor Shields are lead-free and disposable.

Sterile

Packaged individually in sterile packets.

Flexible

Scatter Armor Shields easily mold to the patients body for ease of use and maximum protection

Scatter Radiation TestingAccording to ASTM Test Method F2547-18.

Sample Information	50 kV	70 kV	90 kV	110 kV	120 kV	150 kV
Scatter Armor Shield	98.7%	96.1%W	92.0%	87.8%	85.8%	80.1%

Direct Beam Attenuation

Sample Information	60 kV	80 kV	100 kV	120 kV
Scatter Armor Shield	0.967	0.911	0.846	0.788


Absorbent

Scatter Armor Shields utilize the highest absorbency covering material in the industry, critical in heavy fluid situations.

Absorbent Rate	1.3 sec
Weight	2.36 osy / 80 gsm
Absorbent Capacity	686% 16.2osy / 549 gsm


Scatter Armor Multipurpose Shield

Transradial Access: Left and Right Radial, Shunt, Biliary Drainage, Spinal, Fibroid Embolization



Scatter Armor Multipurpose Shield with Fenestration


Needle Biopsy or Puncture Procedures.



Scatter Armor Peripheral Shield, Absorbent, No Fenestration Case


Scatter Armor Angiography Shield

Transfemoral Access: Angiography, Coronary Catheterization




Scatter Armor EP Shield

Subclavian Access: Bi-Ventricular Pacemaker Implants, ICS procedures, and Bi-Ventricular Pacing.



Scatter Armor Biliary Split Shield

Biopsy Procedures, Transjugular Intraheptic Portosystemic Shunt (TIPS)



Scatter Armor Dialysis Drape

Dialysis Access and Declotting Procedures.



SA-PFR-CS

Case of 30

Peripheral Shield Peripheral procedures where the


Scatter Armor

Peripheral procedures where the access is through the femoral Artery.









1001 - C Arm Drape



This item fits all full-size C Arms. Made from durable, high quality polyethylene materials with abrasion resistance to protect from rips or tears.

HIGHLIGHTS: CE Certified, Sterile Product, and Latex Free

QUANTITY: 30 Drapes (15 drapes per box, 2 boxes included)

DIMENSIONS: 42" x 72"

PACKING SIZE: 6" x 12" x 17"

TOTAL WEIGHT: 13.3 lbs.

1002 - C Arm Kit



Contains C-Arm drape, gray Foot Switch Cover, Image Intensifier and X-ray Tube Cover. Fits OEC® 9600/9800/9900 matches OEC® part #00-901501-01 and E9100AG. Includes 5 mounting clips. Made from durable, high quality polyethylene materials with abrasion resistance to protect from rips or tears.

HIGHLIGHTS: Sterile Product, and Latex Free

QUANTITY: 20 Drapes per box

DIMENSIONS: Multiply Dimensions in this Kit

PACKAGING SIZE: 7" x 21" x 24"

TOTAL WEIGHT: 16.7 lbs.

4003 - 54" x 63" Mini C Arm Drape



8003/5406 - Foot Switch Cover



Fits mini-size C Arms, Xi-Scan, Fluoroscan 3" or 4" FOV. Made from durable, high quality polyethylene materials with abrasion resistance to protect from rips or tears.

HIGHLIGHTS: Sterile Product and Latex Free

QUANTITY: 40 Drapes (20 drapes per box, 2 boxes included)

DIMENSIONS: 54" x 63"

PACKAGING SIZE: 10" x 17" x 24"

TOTAL WEIGHT: 18 lbs.

Foot Switch Cover that is clear and fits with Cinch Lock. Made from durable, high quality polyethylene materials with abrasion resistance to protect from rips or tears.

HIGHLIGHTS: Sterile Product, and Latex Free

QUANTITY: 100 per box

DIMENSIONS: 17" x 15"

PACKAGING SIZE: 10" x 14" x 22"

TOTAL WEIGHT: 8 lbs.


Cassette Covers

Protect Your Cassettes

COMPLETE, HIGHLY EFFECTIVE PROTECTION FROM CONTAMINATION



14" x 17"



Protect your cassettes in our simple and convenient INFAB Cassette Covers.

Available in boxes of 100 or cases of 500 in an easy-to-use dispenser box.



16" x 19"

Cassettes come in contact with blood and other potentially infectious materials.

- Protect your cassettes from cross-contamination
- Protect your patients from infection
- Specially designed to fit your X-ray cassettes
- For use in any imaging area where a risk of contamination exists.

IN-STOCK SAME-DAY SHIPPING



24" x 20"

Help Stop the Spread of Infection



The Centers for Disease Control and Prevention (CDC) estimates that roughly 1.7 million hospital-associated infections, from all types of bacteria combined, cause or contribute to 99,000 deaths each year.¹

¹ Klevens RM, Edwards JR, Richards CL, et al. (2007). "Estimating health care-associated infections and deaths in U.S. hospitals, 2002". Public Health Rep 122 (2): 160−6. PMID 17357358.

²Scott II, R. Douglas, (2009). "The Direct Medical Costs of Healthcare-Associated Infections in U.S. Hospitals and the Benefits of Prevention".

National Center for Preparedness, Detection, and Control of Infectious Diseases

Zip Top Cassette Covers

BOX OF 100/500





Zip Top



- Zip top
- Packed in handy dispenser boxes
- 100 or 500 individual covers per box
- · Available in the five cassette sizes
- Always in stock
- Impervious to fluids
- · Available in money saving cases of 500.

- Easy to use
- · High quality
- Sanitary
- Disposable
- Top grade polyethylene plastic

Flip Top Cassette Covers

BOX OF 100/500





Sandwich bag style flap

- "Sandwich" bag style flap
- Packed in handy dispenser boxes
- 100 or 500 individual covers per box
- · Available in the five cassette sizes
- Always in stock
- Impervious to fluids
- · Available in money saving cases of 500.

- Easy to use
- High quality
- Sanitary
- Disposable
- Top grade polyethylene plastic

Model	Description		Dimensions	Fits Cassette Size
911417-ZT	Cassette Cover Zip Top	Disposable Box of 100	17" x 19.875"	14" X 17"
901417-ZT	Cassette Cover Zip Top	Disposable Box of 500	17" x 19.875"	14" X 17"
911619-ZT	Cassette Cover Zip Top	Disposable Case of 100	19.25" x 22.25"	16" x 19"
901619-ZT	Cassette Cover Zip Top	Disposable Case of 500	19.25" x 22.25"	16" x 19"
912420-ZT	Cassette Cover Zip Top	Disposable Case of 100	20" x 24.625"	24" x 20"
902420-ZT	Cassette Cover Zip Top	Disposable Case of 500	20" x 24.625"	24" x 20"

Model	Description		Dimensions	Fits Cassette Size
911417	Cassette Cover	Disposable Box of 100	17" x 19.875"	14" X 17"
901417	Cassette Cover	Disposable Case of 500	17" x 19.875"	14" X 17"
911619	Cassette Cover	Disposable Box of 100	19.25" x 22.25"	16" x 19"
901619	Cassette Cover	Disposable Case of 500	19.25" x 22.25"	16" x 19"
912420	Cassette Cover	Disposable Case of 100	20" x 24.625"	24" x 20"
902420	Cassette Cover	Disposable Case of 500	20" x 24.625"	24" x 20"





The Nike 7177 radiation protection glasses combine ultra-lightweight construction in high quality acetate with 0.75mm lead equivalency lenses. These glasses deliver optimal stability and comfort during long medical procedures, perfect for professionals who value both style and function.

FRAME SIZE: Universal

WEIGHT: 67 g

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Cacao/Pink Foam Gradient, Blue/Peach Gradient

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 53mm

Bridge Width: 17mm

Temple Length: 140mm

Lens Height: 39.5mm









NIKE - Temper Flair

The Nike Temper Flair INFAB radiation protection glasses feature a sophisticated square frame design with 0.75mm lead equivalency lenses for medical professionals. The durable acetate construction and precise single bridge design ensure long-lasting comfort during extended medical procedures.

FRAME SIZE: Universal

WEIGHT: TEMPERFLAIR-01 - 68 g

TEMPERFLAIR-02 - 66 g TEMPERFLAIR-03 - 68 g

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Washed Coral/Mauve, Vintage Green, Taupe Grey/Teal

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Bridge Width: 18mm

Temple: 140mm

Lens Width: 53mm

Lens Height: 41.4mm













NIKE - 7405

The Nike 7405 INFAB radiation protection glasses offer a modern angular design with rubberized temple tips for secure fit, featuring 0.75mm lead equivalency lenses in a durable matte-finish frame for essential medical radiation protection.

FRAME SIZE: Universal

WEIGHT: 7405-01 - 60 g

7405-02 - 62 g 7405-03 - 60 g

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Black, Matte Obsidian, Matte Vintage Green

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 56mm Bridge Width: 18mm Temple Length: 145mm









₩ NIKE - 7160

The Nike 7160 INFAB radiation protection glasses feature a lightweight rectangular design with flexing spring-loaded hinges and texturized rubber temple tips that stay put without pinching. These glasses incorporate 0.75mm lead equivalency lenses while maintaining optimal comfort and a secure fit that complements round and wide face shapes.

FRAME SIZE: Universal

WEIGHT: 72 g

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Clear Forest

Crystal Midnight Navy

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Bridge Width: 17mm



















The Nike 7015 INFAB radiation protection glasses combine a classic rectangular acetate frame with 0.75mm lead equivalency lenses, featuring a comfortable single bridge design and durable hinges perfect for healthcare professionals.

FRAME SIZE:	Universal		
WEIGHT:	65 g		
PRESCRIPTION:	Plano, Single Vision, Mo	ost Bi-Focal & Bi-Focal Prog	ressive
COLORS:	Matte Black/Space Blue		
PROTECTION:	.75mm LE		
INCLUDES:	Anti-fog spray, safety s	trap add-on, protective case	e
	5.1. 11/11/27		
Lens Width: 55mm	Bridge Width: 17mm	Temple Length: 145mm	Lens Height: 38.1mm



► NIKE - Radeon 3 LB

The Nike Radeon 3 LB INFAB radiation protection glasses feature a modern square-shaped frame with a single bridge design and 0.75mm lead equivalency lenses, delivering essential protection in a sporty, unisex style. If standard glasses typically slip down your nose or rest on your cheeks, the Low Bridge design features a modified nose pad for a closer fit.

FRAME SIZE:	Universal
WEIGHT:	RADEON3LB-01 - 80 g RADEON3LB-02 - 81 g
PRESCRIPTION:	Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive
COLORS:	Shiny Black/Grey Clear Blue
PROTECTION:	.75mm LE
INCLUDES:	Anti-fog spray, safety strap add-on, protective case

















7116-03 Matte Gridiron - Pacific Blue

7116-04 Matte Black - Space Blue



NIKE - 7116

Rubber nosepad and temple tip inlays designed to become tackier as the skin perspires for a strong and secure eyewear fit. Core wire memory metal temple tips for on the fly eyewear adjustability and grip. Lightweight, durable nylon frame

FRAME SIZE: Universal

WEIGHT: 57G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Dark Grey - Black, Matte Gridiron - Pacific Blue, Matte Black - Space Blue

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 56.1mm Bridge Width: 15mm Temple Length: 140mm Lens Height: 38.8mm













Rubber nosepad and temple tip inlays designed to become tackier as the skin perspires for a strong and secure eyewear fit. Core wire memory metal temple tips for on the fly eyewear adjustability and grip. Lightweight, durable nylon frame

FRAME SIZE: Universal

WEIGHT: 54G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Black, Matte Midnight Navy - Wolf Grey

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 55mm

Bridge Width: 14mm

Temple Length: 140mm

Lens Height: 36.5mm









✓ NIKE - 7284

Nike 7284 is a full rim, progressive eligible frame for men and women made of injected plastic. This model features a rounded edges shape, a single bridge, and durable hinges.

FRAME SIZE: Universal

WEIGHT: 57G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Brown Basalt - Clear Fade, Clear - Cool Grey

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Bridge Width: 16mm

Temple: 145mm

Lens Width: 54mm

Lens Height: 39mm











NIKE - 7286-02

Nike 7286 is a full rim, progressive eligible frame for men and women made of eco-friendly plastic, bio acetate. This model features a rectangular shape with a single bridge featuring durable hinges.

FRAME SIZE: Universal

WEIGHT: 68G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Obsidian - Blue

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 56.1mm Bridge Width: 15mm Temple Length: 140mm Lens Height: 38.8mm









NIKE - Adrenaline 22

The Adrenaline 22 Nike frame feature a ventilated rubber nose bridge to reduce fogging. In addition, secure wrap temples provide stability, comfort, and added grip. Durable, no-screw hinges stay securely open and closed.

7286-02

Matte Obsidian - Blue

FRAME SIZE: Universal

WEIGHT: 68G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Black - Volt, Matte Black - Grey

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 64m Bridge Width: 15mm Temple Length: 130mm Lens Height: 40.4mm















NIKE - Brazen

The Nike Brazen glasses combine streamlined style, comfort and lightweight durability. They feature a nylon frame and ventilated nose bridge. The Brazen is our most popular model.

FRAME SIZE: Universal

77G WEIGHT:

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Black- Military Blue, Shiny Black

PROTECTION: .75mm LE

Anti-fog spray, safety strap add-on, protective case **INCLUDES:**

Lens Width: 60.5mm Bridge Width: 16mm Temple Length: 135mm Lens Height: 37.5mm







NIKE - Brazen Fury

Rubber nosepad and temple tip inlays designed to become tackier as the skin perspires for a strong and secure eyewear fit. Core wire memory metal temple tips for on the fly eyewear adjustability and grip. Lightweight, durable nylon frame

FRAME SIZE: Universal

WEIGHT: 82G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Dark Grey - Silver Flash, Matte Midnight Navy,

Matte Black - White Red

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 61m

Bridge Width: 18mm

Temple Length: 130mm

Lens Height: 43.5mm











BRAZENFURY-02 Matte Black - White Red

BRAZENFURY-03 Matte Midnight Navy





NIKE - Brazen Shadow

The Nike Brazen Shadow features a rubber nose pad and temple tip inlays designed to become tackier as the skin perspires for a solid and secure eyewear fit. Core wire memory metal temple tips provide on-the-fly eyewear adjustability and grip.

FRAME SIZE: Universal WEIGHT: 60G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Anthracite - Grey, Matte Dark Grey - Red

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 59mm Bridge Width: 16mm Temple Length: 130mm Lens Height: 37.4mm









NIKE - Maverick

The Nike Maverick glasses are pure performance on the inside. The lightweight frame features ventilation and temple arms that provide a soft, firm grip, ensuring you can wear these for hours at a time.

FRAME SIZE: Universal

WEIGHT: 78G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

Matte Midnight Navy, Matte Cool Grey, Matte Black Red **COLORS:**

.75mm LE PROTECTION:

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 59m

Bridge Width: 15mm

Temple Length: 145mm

Lens Height: 45.3mm

















NIKE - Maverick RGE

The Nike Maverick RGE sunglasses continue the Maverick legacy with long-wearing comfort and a flexible fit in an updated shape. Full rubber nosebridge and temple tips designed to become tackier as the skin perspires for a strong and secure fit.

FRAME SIZE: Universal

WEIGHT: 78G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Midnight Navy- Silver Flash, Matte Black-Grey, Matte Black-Green

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 59mm

Bridge Width: 15mm

Temple Length: 145mm

Lens Height: 40.4mm











Rubber nosepad and temple tip inlays designed to become tackier as the skin perspires for a strong and secure fit.

FRAME SIZE: Universal

WEIGHT: 64G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Black, Matte Anthracite - Grey

Matte Black-Grey

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 60mm

Bridge Width: 13mm

Temple Length: 135mm

Lens Height: 39.3mm

Matte Black-Green















NIKE - Rabid 22

Stay clear and focused at every angle in the Nike Rabid 22 lead glasses. Added rubber nose bridge and temples prevent slippage and fogging for optimum performance during procedures.

FRAME SIZE: Universal

WEIGHT: 68 G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Matte Black - Red, Matte Black - White

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 60.5mm Bridge Width: 16mm Temple Length: 135mm

Lens Height: 38mm









NIKE - Wave

The Nike Wave lead glasses feature a slim profile. Textured rubber on temple tips adds stability and grip.

FRAME SIZE: Universal

WEIGHT: 57G

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Ironstone - Grey

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 53mm Bridge Width: 18mm Lens Height: 42.6mm Temple Length: 140mm

















GG0613

Feminine Gucci radiation protection eyewear combines luxury design heritage with small bridge styling and 0.75mm lead equivalent protection for elegant clinical safety.

Frame Size	52mm - 16mm - 140mm
Prescription	Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive
Colors	Havana Gold, Pink Transparent
Weight	53 G
Protection	.75 mm LE
Includes	Case, Cloth & Anti-Fog Spray

Lens Width: 52mm

Bridge Width: 16mm

Temple Length: 140mm









GG1573-001

Lightweight rectangular radiation protection glasses featuring 0.75mm lead equivalency and subtle Gucci branding for sophisticated safety in clinical environments.

Frame Size	55mm - 16mm - 145mm	
Prescription	Plano, Single Vision, Most Bi-Focal & Bi-Focal P	Progressive
Colors	Matte Black	
Weight	70 G	
Protection	.75 mm LE	
Includes	Case, Cloth & Anti-Fog Spray	
Lens Width: 55mm	Bridge Width: 16mm	Temple Length: 145mm

GG1816-007

Gracefully curved Gucci radiation protection frames feature the brand's signature attention to detail with small bridge design and 0.75mm lead equivalent lenses.

Frame Size	54mm - 16mm - 145mm
Prescription	Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive
Colors	Black with Pink Transparent
Weight	69 G
Protection	.75 mm LE
Includes	Case, Cloth & Anti-Fog Spray

Lens Width: 54mm

Bridge Width: 16mm



Temple Length: 145mm







GG1612-001

Distinguished Gucci radiation protection glasses showcase iconic flag colorway temples with adjustable nose pads and 0.75mm lead equivalent lenses, merging luxury with essential safety.

Frame Size	54mm - 16mm - 145mm
Prescription	Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive
Colors	Black Crystal
Weight	TBD
Protection	.75 mm LE
Includes	Case, Cloth & Anti-Fog Spray

Lens Width: 54mm Bridge W

Bridge Width: 16mm

Temple Length: 145mm







GG1737-001

Bold Gucci rectangular radiation protection eyewear features distinctive emblem detailing and signature flag colorway accents with 0.75mm lead equivalent protection for style-conscious professionals.

Frame Size	54mm - 16mm - 145mm
Prescription	Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive
Colors	Black
Weight	67 G
Protection	.75 mm LE
Includes	Case, Cloth & Anti-Fog Spray

Lens Width: 54mm

Bridge Width: 16mm

Temple Length: 145mm









GG0343-007

Sylvie and Web concept glorified by the tri-colored temples with the House tones and new ones. Easy to wear rectangular frame characterized by dark shades in strong contrast with the colored temples. Soft spoken branding with golden Gucci lettering logo on the temple.

FRAME SIZE: 57mm - 18mm - 150mm

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Multicolor

WEIGHT: 79 G

PROTECTION: .75 mm LE

INCLUDES: Case, Cloth & Anti-Fog Spray

Lens Width: 57mm Bridge Width: 18mm

Temple Length: 150mm

Lens Height: 40mm









GG1447

A best-selling rectangular frame reimagined in a sleek, lightweight acetate. Features refined Gucci logo detailing on the temples and subtle metal accents at the hinges. A timeless design that blends modern minimalism with high-quality craftsmanship.

Frame Size	57mm - 17mm - 145mm Alternative Fit
Prescription	Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive
Colors	Black, Grey Transparent
Weight	68 G
Protection	.75 mm LE
Includes	Case, Cloth & Anti-Fog Spray

Lens Width: 57mm

Bridge Width: 17mm

Temple Length: 145mm







GG0692-004

Modern, light and high-quality surgical stainless steel Gucci frame, rectangular masculine shape, and Gucci logo on temples.

FRAME SIZE: 57mm - 16mm - 150mm

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Black
WEIGHT: 83 G

PROTECTION: .75 mm LE

INCLUDES: Case, Cloth & Anti-Fog Spray

Lens Width: 57mm Bridge Width: 16mm Temple Length: 150mm Lens Height: 38.2mm







GG0560-005

Vented radiation protection goggle with neoprene foam on the inside designed to protect against fluid splashing and perspiration. Easy to adjust with elastic head band. Prescription compatible (for most Rx). Lightweight and comfortable. Large lens area for maximum protection.

FRAME SIZE: 55mm - 20mm - 145mm

PRESCRIPTION: Plano, Single Vision, Most Bi-Focal & Bi-Focal Progressive

COLORS: Black/Crystal

WEIGHT: 73 G


PROTECTION: .75 mm LE

INCLUDES: Case, Cloth & Anti-Fog Spray

Lens Width: 55mm Bridge Width: 20mm Temple Length: 145mm Lens Height: 41.6mm











Incredibles

The Incredibles are a stylish wrap around safety frame made of TR-90 high impact resistant plastic. ANSI Z87.1+ approved, lightweight and comfortable. Includes a high quality carrying case. Incredibles glasses are .75mm LE and available from stock in non-prescription.

FRAME SIZE: Universal

WEIGHT: 75G

PRESCRIPTION: Plano, Single Vision (-SV), Bifocal (-BF), Bifocal Progressive (-BF-P)

COLORS: Shiny Black, Silver

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 62m

Bridge Width: 18mm

Temple Length: 145mm

Lens Height: 36mm













683260 Silver

Optional Side Protection 830250 Black







830251 Red

830252 Silver

800070 Blue

Maxx 30

Prescription compatible (for most Rx), First protective eyewear to receive the American Ophthalmology Associations seal of acceptance. Meets ANSI Z87.1+ standards along with ASTM F803 impact resistance standards. Temple bars and nose bridge have soft rubberized padding for extra comfort, lightweight and comfortable, large lens area for maximum protection Bifocal Progressive Rx frame (requires segment height).

FRAME SIZE: Universal
WEIGHT: 63G

PRESCRIPTION: Plano, Single Vision (-SV), Bifocal (-BF), Bifocal Progressive (-BF-P)

COLORS: Black, Red, Silver, Blue

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 53mm

Bridge Width: 17mm

Temple Length: 130mm

Lens Height: 35mm









Achilles

Vented radiation protection goggle with neoprene foam on the inside designed to protect against fluid splashing and perspiration. Easy to adjust with elastic head band. Prescription compatible (for most Rx). Lightweight and comfortable. Large lens area for maximum protection.

FRAME SIZE: Universal

WEIGHT: 69G

PRESCRIPTION: Plano, Single Vision (-SV), Bifocal (-BF), Bifocal Progressive (-BF-P)

COLORS: Blue, Plated Silver, Shiny Black

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 53mm

Bridge Width: 17mm

Frame width: 128mm

Lens Height: 35mm













Zone

Rubber nose pads and rubberized temple bars. Wrap around design. Lightweight and comfortable. Large lens area for maximum protection.

FRAME SIZE: Universal

WEIGHT: 75G

PRESCRIPTION: Plano, Single Vision (-SV), Bifocal (-BF), Bifocal Progressive (-BF-P)

COLORS: Black, Silver, Red

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 60mm

Bridge Width: 18mm

Temple Length: 135mm

Lens Height: 36mm









GLASSES

Evo

The Evo includes permanent side shields with an adjustable nosepiece. These maximum protection glasses come with .75mm protection and a stylish, sleek look. Side shields for maximum protection. Clear inside plastic frame. Adjustable nose piece. EVO is an RX-friendly frame, and it will hold an SV, BF and BF-P.

FRAME SIZE: Universal

WEIGHT: 90.4G

PRESCRIPTION: Plano

COLORS: Matte Black

PROTECTION: FRONT: .75mm LE, SIDE: .50mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 55mm

Bridge Width: 17mm

Temple Length: 140mm

Lens Height: 42mm



















Zion

WEIGHT:

The Zion features a large protection area including permanent side shields. These heavy duty glasses are a combination of stylish and protective. Wrap around frame style. Protection on the sides provides a maximum protection of .75mm.

FRAME SIZE: Universal

PRESCRIPTION: Plano

COLORS: Matte Black

PROTECTION: FRONT: .75mm LE, SIDE: .75mm LE

91.4G

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 56mm

Bridge Width: 19mm

Temple Length: 135mm

Lens Height: 42mm









Fitovers MX

The Fitover MX fitover is a versatile, high quality nylon frame. Featuring Flexfit technology, the Fitover MX's temples can be easily adjusted for a secure, comfortable fit. The Fitover MX is ideal for fitting over wide prescription eyewear while still providing a secure and comfortable fit. With the most balanced weight distribution, the Fitover MX is a popular fitover model. Blacked out side shields provide a streamlined look as well as 0.50mm lead equivalent protection.

FRAME SIZE: Fitover

WEIGHT: 91G

PRESCRIPTION: Plano

COLORS: Matte Black

PROTECTION .75 mm LE

SIDE SHIELDS 0.50mm (standard) Pb Strips

INCLUDES Anti-fog spray, safety strap add-on, protective case

Lens Width: 69mm

Bridge Width: 17mm

Temple Length: 145mm











Designed to be worn over Rx frames not exceeding 142 mm wide x 40 mm high (5 5/8" x 1 5/8")



Designed to be worn over Rx frames not exceeding 142 mm wide x 50 mm high (5 5/8" x 2")

Fitovers XL

The Fitover XL is a versatile, high quality nylon frame. Featuring Flexfit technology, the Fitover XL lead glasses' temples can be benched (adjusted) easily for a secure, comfortable fit. The Fitover XL is ideal for fitting over standard prescription eyewear with square or rounded lenses. Blacked out side shields provide a streamlined look as well as 0.50mm lead equivalent protection.

FRAME SIZE: Fitover

WEIGHT: 108G

PRESCRIPTION: Plano

COLORS: Matte Black
PROTECTION .75 mm LE

SIDE SHIELDS 0.50mm (standard) Pb Strips

INCLUDES Anti-fog spray, safety strap add-on, protective case

Lens Width: 64

Bridge Width: 18mm

Temple Length: 150mm







Fitovers Razor

Fits frames not exceeding 132mm width x 38mm height. Wrap around Radiation protection, Hypo-allergenic Crystal Nylon™ Frame. Designed to be worn over small, square, or rectangle prescription eyewear frame shapes.

FRAME SIZE: Universal

WEIGHT: 82G

PRESCRIPTION: Plano

COLORS: Matte Black, Gun Metal, Olive-Charcoal

PROTECTION .75 mm LE

INCLUDES Anti-fog spray, safety strap add-on, protective case

Fits over Rx glasses

not exceeding width: 132mm

Fits over Rx glasses **not exceeding height:**

38mm













Fitovers Ecofit

Wrap around Radiation protection with .35mm LE side shield protection. The Hypo-allergenic Crystal Nylon $^{\rm m}$ Frame is designed to be worn over prescription eyewear

FRAME SIZE: Universal

WEIGHT: 90 G

PRESCRIPTION: Plano

COLORS: Black, Tortoise

PROTECTION .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Fits over Rx glasses **not exceeding width:**

153mm

Fits over Rx glasses not exceeding height: 41mm





Fitovers Lotus

Fits frames not exceeding 141mm width x 40mm height. Wrap around Radiation protection. Hypo-allergenic Crystal Nylon™ Frame. Designed to be worn over medium, oval, or round prescription eyewear frame shapes.

FRAME SIZE: Universal

WEIGHT: 84G

PRESCRIPTION: Plano

COLORS: Matte Black, Smoke Marble, Claret Stripe

PROTECTION .75mm LE

INCLUDES Anti-fog spray, safety strap add-on, protective case

> Fits over Rx glasses not exceeding width: 141mm

Fits over Rx glasses not exceeding height: 40mm







Premium Wraps

The Premium Wraps feature a large prescription compatible front lens area with maximum radiation protection and side lens for peripheral vision. The frames include spring hinges, formable side temple bars and a fully adjustable nose piece.

FRAME SIZE: Universal **WEIGHT:** 97.3G

PRESCRIPTION: Plano

Tortoise Shell **PROTECTION:** FRONT: .75mm LE, SIDE: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 57mm

COLORS:

Bridge Width: 19mm

Temple width: 140mm

Lens Height: 59mm









Cyber Flex

High Quality Safety Glasses. Adjustable temple bar. Large viewing area. Side protection, 0.50mm with an oversized protective lens area.

FRAME SIZE: Universal

WEIGHT: 95.4G

PRESCRIPTION: Single Vision, Plano

COLORS: Clear-/ Navy Blue

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 59mm

Bridge Width: 19mm

Temple Length: 135-150mm

Lens Height: 40mm













Flip Top

"Flip Top" radiation goggles are an all new product, designed to reduce scatter radiation by as much as 70% (actual reduction is dependent upon imaging technique used) Lightweight, Large protective area: 50mm x 160mm. Flips open when not needed. Adjustable nose bridge. Can be used as a stand alone radiation reduction goggle or fits easily over your existing glasses.

FRAME SIZE: Universal

WEIGHT: 38G

PRESCRIPTION: Plano

COLORS: Black

PROTECTION: .07mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: N/A Total Width: 160mm Temple Length: N/A



Lens Height: 50mm



INFAB Radiation Protection Surgical Gloves

Thinnest Lead-Free Gloves for Maximum Safety

Our Radiation Protection Surgical Gloves set the benchmark in combining safety and dexterity. Our lead-free, powder-free, and latex-free gloves are the thinnest available, offering outstanding radiation protection while maintaining the tactile sensitivity essential for surgical precision.

Thickness	0.007" / 0.18 mm
Color	Black
Material	Tungsten
Sizes	6.5, 7.0, 7.5, 8.0, 8.5, 9.0
Compliance	Tested to ASTM F2547-06

	Attenuation Propertie	s
Source Potential	Aluminum Half-Value Level	Measured Attenuation
60 kVp	2.9	56.5%
80 kVp	4.0	47.1%
100 kVp	5.1	41.6%
120 kVp	6.2	37.7%

- · Lead-free
- Latex-free
- Powder-free
- · Ultra-thin design
- · ASTM tested
- Multiple sizes available

Size	Model
6.5	797165
7	797170
7.5	797175
8	797180
8.5	797185
9	797190







Neoprene Gloves

Optimal Protection with Tactile Sensitivity

Designed to reduce the amount of scattered radiation exposure to the hands from the primary X-ray beam during radiological procedures. These gloves are Latex-Free, Lead-Free, and of course radiation protected.

•	l ea	d-f	ree

- Latex-free
- Powder-free
- High sensitivity
- 30% reduction of direct beam radiation transmitted at 100 kVp
- Packed in sterile pouch
- Shipped from stock

Color	White
Sizes	6.5, 7.0, 7.5, 8.0, 8.5, 9.0

Size	Model
6.5	683310
7	683315
7.5	683320
8	683325
8.5	683330
9	683335

Attenuation Properties

Source Potential	Cuff Attenuation	Finger Attenuation
60 kVp	38%	49%
80 kVp	30%	40%
100 kVp	24%	33%
120 kVp	19%	27%
120 KVP	1970	21/0



Revolution Radiation Gloves

Superior Safety and Enhanced Touch Precision

INFAB's Exclusive Revolution Radiation
Protection gloves are designed to be the most
comfortable, flexible, lightweight and protective
gloves. Revolution Radiation Protection Gloves
come with tactile grip finger tips. The tactile
grip helps with keeping a strong grasp on
instruments during a long procedure.

- Latex-free
- Powder-free
- Tactile grip
- Tactile sensitivity
- Sterile
- · Maximum tactile sensitivity
- Anatomical fit

Color	Black
Sizes	6.5, 7.0, 7.5, 8.5

Size	Model Light	Model Medium	Model Heavy
6.5			775065
7		735070	
7.5			
8			
8.5	700185		775085
9	700190		

Attenuation Properties					
Source Potential	Model Light	Model Medium	Model Heavy		
60 kVp	40%	68%	75%		
80 kVp	35%	80%	69%		
100 kVp	30%	54%	63%		



Revolution Maxi-Flex Gloves

Supreme Comfort and Dexterity

The perfect way to ensure your hands and lower forearms are fully protected by the most flexible, comfortable radiation protection gloves on the market. Comfortable fit with maximum dexterity. Soft removable, washable and replaceable inner liners reduce odors and allow for washing. Durable outer covers can be replaced. Revolution Maxi-Flex 5 Finger Lead-Free Gloves come exclusively in our Revolution fabric, the softest and most comfortable material available for radiation protection.

Models 683300- Gloves (Pair)

683306- Replacement Liners

683307- Replacement Covers

Size 15"

Color Revolution Colors

Protection .50mm LE

- · Revolution Fabric in solid colors
- Tough, durable outer coverings
- · Soft, flexible and comfortable
- Removable, washable and replaceable brrr° Cooling Interior Fabric
- Replaceable outer covers





711-White



Split Palm Mittens

Outstanding manual dexterity. Slotted palm allowing the fingers to be extended from the mitten. Complete hand and lower arm protection.

SIZES: 15"

COLORS: Revolution Colors

PROTECTION: .50mm LE

OPTIONS: 683700 - Open Palm Mittens (Pair)

Split Palm Mittens with Flap

Special flap to close the opening in the mitten when finger extension is not desired. Outstanding manual dexterity. Slotted palm allowing the fingers to be extended from the mitten. Complete hand and lower arm protection.

SIZES: 15"

COLORS: Revolution Colors

PROTECTION: .50mm LE

OPTIONS: 683710 - Open Palm Mittens (Pair)





684000 Hand Shields

Hand Shields - 684000

Durable, comfortable and fully adjustable shields. Full upper hand protection with total mobility of the hand and fingers. Finger retainers are constructed of durable 1" polypropylene webbing. Hook and loop closure at wrist offers plenty of adjustment.

SIZE: One Size Fits All

COLORS: Blue

PROTECTION: .50mm LE

- Durable, comfortable and fully adjustable
- Total mobility of the hand and fingers
- Hook and loop closure

Maxi-Flex Mittens

The perfect way to ensure your hands and lower forearms are fully protected by the most flexible, comfortable radiation protection mitten on the market.

SIZE: 15"

COLORS: Revolution Colors

PROTECTION: .50mm LE

OPTIONS: 683303- MAXI-FLEX Mittens (Pair)

683308- MAXI-FLEX Mittens Replacement Liners

683309- MAXI-FLEX Mittens Outer Cover

- · Soft, flexible and comfortable
- Removable, washable and replaceable Brr° Cooling Interior Fabric inner liners
- Replaceable outer covers
- · Removable, washable and replaceable inner liners



Barriers

INFAB high-quality radiation protection barriers are purpose-built to handle the daily rigors of hospital use. These smooth-rolling and easy-maneuvering barriers offer the highest levels of radiation protection in the industry.

WINDOW

Your choice of 2.0mm LE lead glass, completely encased with acrylic panels to help prevent damage and breakage, or .50mm LE acrylic.

CASTERS

Hospital-grade swivel locking casters for easy mobility and positive and secure placement.

FRAME

Powder coated steel frame. Precision TIG welded for years of trouble-free service completely enclosing the leaded glass panel for increased durability and safety.

PROTECTION

2.0mm LE lead glass or .50mm LE acrylic window 1.5mm LE base panel 2 0.75mm LE Curtains (1.5mm LE.)

COLORS

Standard white, black or grey. Custom options available. Upcharge applies.

CUSTOMIZATION

- Color: Frames can be custom powder coated in any pantone color (upcharge applies)
- Size: INFAB can produce barriers to your specification
- · Logo: Add your logo to any barrier
- Stainless Steel: Optional stainless steel frame



STANDARD BARRIERS

Available in a variety of heights, widths, and window configurations, INFAB barriers are fully customizable, to any specifications. Custom colors, logos and 100% stainless steel options are available. Full head-to-toe protection with our exclusive base curtain included on every barrier. Your choice of 2.0mm LE lead glass or .50mm LE acrylic window. All bases are 1.50mm LE.



683492

Large Window Mobile Barrier

SIZE: 80¼" H x 40½" W X 25" D

WINDOW: 72" H x 36" W

GLASS:

Lead or Acrylic (-AC)

SHIPPING Crate: 30" x 78" x 48" 480lbs / 217.72 kg

683476

X-Tall **Mobile Barrier**

SIZE:

78¼" H x 40½" W X 25" D

WINDOW:

60" H x 36" W

GLASS:

Lead or Acrylic (-AC)

SHIPPING: Crate: 30" x 78" x 48" 450lbs / 204.12 kg

683488

X-Wide **Mobile Barrier**

SIZE: 74½" H x 76½" W X 25" D

WINDOW: 36" H x 72" W

GLASS:

Lead or Acrylic (-AC)

SHIPPING: Crate: 32" x 85" x 85" 600lbs / 272.16 kg

683473

Mid Tall **Mobile Barrier**

SIZE: 74½" H x 34½" W X 25" D

60" H x 30" W WINDOW:

GLASS: Lead or Acrylic (-AC)

SHIPPING: Crate: 73" x 30" x 43" 380lbs/172.36kg

BARRIER FEATURES

- All INFAB Barriers include four hospital grade casters, 2 with locking brakes.
- Fully enclosed glass with our exclusive concussion panels to protect the lead glass.
- Easy-clean Sintra plastic base and high quality powder coated steel frames.



683482

Wide Mobile Barrier

SIZE: 72" H x 52½" W X 25" D

WINDOW: 36" H x 48" W

GLASS: Lead or Acrylic (-AC)

SHIPPING: Crate: 30" x 72" x 60" 480 lbs / 217.72 kg

683465

Small Window Mobile Barrier

SIZE: 72¼" H x 52½" W X 25" D

WINDOW: 12" H x 12" W

GLASS: Lead or Acrylic (-AC)

SHIPPING: Crate: 30" x 72" x 60" 380 lbs / 217.72 kg

683468

Medium Window Mobile Barrier

SIZE: 74" H x 52½" W X 25" D

WINDOW: 12" H x 24" W

GLASS: Lead or Acrylic (-AC)

SHIPPING: Crate: 73" x 30" x 57" 410 lbs / 185.97 kg

683460

Standard Mobile Barrier

SIZE: 72" H x 34½" W X 25" D

WINDOW: 24" H x 30" W

GLASS: Lead or Acrylic (-AC)

SHIPPING: Crate: 30" x 72" x 42" 335 lbs / 151.95 kg

683484

Regular Mobile Barrier

SIZE: 64½" H x 40½" W X 25" D **WINDOW:** 24" H x 36" W

GLASS: Lead or Acrylic (-AC)

SHIPPING: Crate: 30" x 65" x 48" 430 lbs / 195.04 kg

683458

"Shorty" Mobile Barrier

SIZE: 45" H x 34½" W X 25" D

WINDOW: 24" H x 30" W

GLASS: Lead or Acrylic (-AC)

SHIPPING: Crate: 45" x 30" x 42" 220 lbs / 99.79 kg



683461 Tilted Mobile Barrier

WINDOW: 2.0mm LE Lead Glass or .50mm LE Acrylic

WINDOW SIZE: 24" H x 30" W

OVERALL SIZE 70" H x 34¼" W X 25" D

COLORS: Standard white, grey or black. Custom options

available.

FRAME: Metal, Stainless Steel (Upgrade)

SHIPPING: Crate: 73" x 30" x 43", 355 lbs / 161.03 kg

Powder coated steel frame

 Acrylic impact panels, enclosed in a precision TIG welded frame for years of trouble-free service, completely enclosing the leaded glass panel for increased durability and safety

• 2 high-quality hospital grade locking casters

- 1.50mm LE opaque base covered in "Sintra" plastic for easy cleaning and durability
- Modular parts can be easily replaced, including the glass if needed.
- Ergonomical viewing area
- · Shipping worldwide by ground, air or sea freight

Tilted design for better view





076993

Technician Protection Mobile Screen

The Technician Protection Mobile Screen can be easily raised and lowered by hand and stays in position thanks to the perfectly counter-balanced internal springs. The high quality steel construction and stainless springs provide a lifetime of trouble-free use.

SIZE RAISED: 73" H x 31" W x 20 ½" D

SIZE LOWERED: 44" H x 31" W x 20 ½" D

WINDOW SIZE: 37.4" H x 27" W

COLORS: Standard white, grey or black. Custom options

available.

FRAME Metal, Stainless Steel (Upgrade)

SHIPPING: Crate: 31" x 49" x 41", 210 lbs/95.25kg

Retractable Window

Multiple heights

Perfectly counter balanced

• Easily raised and lowered

• 1.0mm LE base

• .50mm LE lead acrylic window

• 2 high-quality hospital grade locking casters

• Complete with bar to hold controls



New steel frame adds

strength and prevents bending or warping of viewing window



REV-MHAS

Revolution Mobile Hanging Acrylic Shield

Fully adjustable mobile shield that can be altered to user's preference. This product provides the benefits of an overhead suspension barrier with the mobility to fit into exam rooms of any size. The acrylic barrier can be raised, lowered, and rotated 360° in both vertical and horizontal planes to fit snug against the torso of the patient.

KEY FEATURES:

- · Mobile unit with superior stability.
- Gives user full control of shield placement.
- Pivot ball allows for 360° motion.
- Durable 0.50mm acrylic shield.
- Small footprint, does not interfere with physician's position at the table.

Full 360° Pivot ball for precise positioning

Front profile



REV-PMC

Revolution Mobile Curtain

A unique new design for operating physicians that allows unparalleled protection for close-to-table studies. Sturdy, yet thoughtfully engineered with a small footprint so it can easily be positioned exactly where you want it for maximum scatter radiation protection.

SIZE: Adjustable height 43½" - 66"

Base: 34" W x 25" D

CURTAIN: 38"H x 30"W .50mm LE lead curtain with grey Revolution fabric

FRAME COLORS: Standard white, grey or black. Custom options available.


CURTAIN COLORS: Standard Revolution grey. Custom options available.

FRAME: Powder Coated Steel, Stainless Steel (Upgrade)

SHIPPING: Box: 13" x 42" x 9", 45 lbs / 20.41 kg

Box: 26" x 30" x 8", 30 lbs / 13.60 kg

- Special 4 caster T-bar base design to stabilize the unit
- Smooth easy maneuvering
- Special spring mechanism allows for easy raising, lowering, and
- .50mm LE double protective curtain
- 2 high-quality hospital grade locking casters









REV-SPMC

Revolution Solid Panel Mobile Curtain

SIZE: 56" H x 30" W

CURTAIN: 30" x 30"

PROTECTION: REV-SPMC10 1.0mm LE

REV-SPMC50 .50mm LE

FRAME COLORS: Standard white, grey or black. Custom options available.

CURTAIN COLORS: Standard Revolution grey. Custom options available.

FRAME: Powder Coated Steel, Stainless Steel (Upgrade)

SHIPPING: Box: 21" x 21" x 10", 18 lbs / 8.17 kg

Box: 16" x 33" x 7", 28 lbs / 12.7 kg

• Heavy-duty hospital-grade purpose-built unit.

• Adjustable height between 37" and 56"


• 30" wide by 30" tall lead vinyl curtain

• 2 high-quality hospital grade locking casters

Smooth and easy maneuvering













REV-MC

Economy Mobile Curtain

SIZE: 66" H x 28" W

CURTAIN: 30" x 30".50mm LE curtain with grey Revolution fabric

FRAME COLORS: Standard white, grey or black. Custom options available.

Standard Revolution grey. Custom options available. **CURTAIN COLORS:**

FRAME: Powder Coated Steel, Stainless Steel (Upgrade)

Box: 24" x 30" x 12", 20 lbs /9.07 kg SHIPPING:

Box: 6" x 6" x 6", 27 lbs / 12.25 kg

• Raise and lower shield · Smooth easy maneuvering

• .50mm LE double protective curtain

• 2 high-quality hospital grade locking casters











REV-LOCKER-20

Revolution Mobile Apron Lockers

Features digital passcode locks with keypad Set up to 3 administrative and user pass Battery operated lock with backup battery and emergency power supply





Passcode Lock with Keypad







REV-LOCKER-5

Revolution 5 Hanger Mobile Apron Locker

ASSEMBLED SIZE: 65" H x 16" W x 26.5" D

COLORS: White, Grey, or Black

Custom colors available.

Ships in standard white unless specified.

SHIPPING: Crate: 29" x 20" x 70", 170 lbs / 77.11 kg

Includes 5 hangers Secure up to 5 aprons

REV-LOCKER-10

Revolution 10 Hanger Mobile Apron Locker

ASSEMBLED SIZE: 65" H x 32" W X 26.5" D

COLORS: White, Grey, or Black

Custom colors available.

Ships in standard white unless specified.

SHIPPING: Crate: 29" x 36" x 70", 205 lbs / 93 kg

Includes 10 hangers Secure up to 10 aprons

REV-LOCKER-20

Revolution 20 Hanger Mobile Apron Locker

ASSEMBLED SIZE: 65" H x 48" W X 26.5" D

COLORS: White, Grey, or Black

Custom colors available.

Ships in standard white unless specified.

SHIPPING: Pallet: 29" x 52" x 70", 230 lbs / 148.33 kg

Includes 20 hangers Secure up to 20 aprons

Apron Racks

INFAB Apron Racks are purpose-built pieces of hospital equipment, designed to last as long as the facility they are being used in.

OPTIONS

- Mobile
- Wall-Mounted
- Single Apron
- Multi-Apron
- Deluxe
- Economy
- Custom Colors

HOSPITAL GRADE MATERIALS

- Cold-rolled metal or optional stainless steel frames
- Hospital grade casters, two with locking brakes, for easy mobility and positive placement when parked.

THOUGHTFUL DESIGN

- Easy to use
- · Space-efficient
- · Plentiful storage
- Easy on/off apron convenience









10 Hanger Mobile Apron Valet

ASSEMBLED SIZE: 58" H x 26½" W X 25" D

COLORS: White/Chrome, Custom Options

SHIPPING: Box 1: 55" x 7" x 7", 25 lbs / 11.34 kg

Box 2: 16" x 32" x 14", 34 lbs / 15.42 kg

- Space saving; providing major storage while taking up minimum space.
- · Steel construction with baked enamel finish.
- · 2 high-quality hospital grade locking casters
- 10 Deluxe Custom Apron Hangers (683450) included





20 Hanger Mobile Apron Valet

ASSEMBLED SIZE: 58" H x 481/2" W X 25" D

COLORS: White/Chrome, Custom Options

SHIPPING: Box 1: 55" x 7" x 7", 32 lbs / 14.51 kg

Box 2: 16" x 32" x 14", 43 lbs / 19.50 kg

- Space saving; providing major storage while taking up minimum space.
- Steel construction with baked enamel finish.
- 2 high-quality hospital grade locking casters
- 20 Deluxe Custom Apron Hangers included
- Optional: full circle loop hangers (-H)



683419

Mini Mobile Apron Rack with Hangers

ASSEMBLED SIZE: 78" H x 27" W X 25" D

COLORS: White, Custom Options

SHIPPING: Box: 29" x 49" x 8", 59 lbs / 26.76 kg

- · Six apron hangers included
- Heavy gauge cold rolled steel
- Powder coated
- · Attractive, durable, long lasting finish
- 2 high-quality hospital grade locking casters
- Holds up to six protection aprons, a pair of lead gloves and two pairs of radiation protection glasses







Deluxe Mobile Apron Rack

ASSEMBLED SIZE: 53" H x 39" W X 26" D

COLORS: White, Custom Options

SHIPPING: Box 1: 16" x 32" x 14", 25 lbs / 11.34 kg

Box 2: 40" x 29" x 12", 55 lbs / 24.95 kg Box 3: 58" x 17" x 9", 52 lbs / 23.59 kg

Super heavy-duty

- 2 high-quality hospital grade locking casters
- · Stores up to ten protection aprons
- Optional vest and skirt adapter (Part Number 683000)
- · Holds up to 200 lbs. of aprons

683426

5 Arm Budget Saver Mobile Apron Rack

ASSEMBLED SIZE: 58" H x 26" W X 30" D

COLORS: White, Custom Options

SHIPPING: Box 1: 51" x 7" x 7", 31 lbs / 14.06 kg

Box 2: 16" x 32" x 14", 34 lbs / 15.42 kg Box 3: 16" x 41" x 7", 21bs / 9.53 kg Box 4: 26" x 21" x 2", 12 lbs / 5.44 kg

- Economically priced
- Heavy gauge steel
- Powder coated
- · 2 high-quality hospital grade locking casters
- Stores up to 5 protection aprons
- Convenient additional storage on base
- Optional vest and skirt adapter (Part Number 683000)

683427

10 Arm Budget Saver Mobile Apron Rack


ASSEMBLED SIZE: 58" H x 441/2" W x 30" D


COLORS: White, Custom Options

SHIPPING: Box 1: 51" x 7" x 7", 36 lbs / 16.33 kg

Box 2: 16" x 32" x 13", 34 lbs / 15.42 kg Box 3: 58" x 16" x 9", 40 lbs / 18.14 kg Box 4: 22" x 44" x 2", 21 lbs / 9.53 kg

- Economically priced
- Heavy gauge steel
- Powder coated
- 2 high-quality hospital grade locking casters
- Stores up to 10 protection aprons
- Convenient additional storage on base
- Optional vest and skirt adapter (Part Number 683000)





5 Arm Left Folding Apron Rack

683100

5 Arm Right folding Apron Rack

Wall-Mounted 5 Arm Apron Rack

ASSEMBLED SIZE: 81/4 H x 6" W X 23" D

COLORS: White, Custom Options

- Stores up to 5 aprons
- Swings out easily for immediate access to aprons
- Heavy duty
- Power coated steel mounting bracket and storage arms
- Arms with nylon bushings
- · Racks fold flush to wall
- Can be mounted side by side
- Optional vest and skirt adapter (Part Number 683000)



683000

Vest and Skirt Rack Adapter

 Skirt rack adapter easily mounts to rack with included tool. Skirt hanging adapter provides convenient storage for vest & skirt aprons.

SHIPPING

 683100 5 Arm Folding Right Hand Folding
 Box 1: 10 lbs (12" x 30" x 6")

 683101 5 Arm Folding Left Hand Folding
 Box 1: 10 lbs (12" x 30" x 6")

Wall-Mounted Wall Tower Rack

ASSEMBLED SIZE: 48" H x 13 3/4" W X 27" D (w/racks)

COLORS: White, Custom Options

• Includes right and left 5 arm apron racks


- Heavy duty
- Handles toughest hospital environments
- · Heavy gauge steel
- Powder coated
- Scratch resistant
- Easy to install
- · Hardware provided
- Requires only minimal space
- 13.75" wide x 48" tall

SHIPPING

683115 Weak Wall Support Box 1: 10 lbs (12" x 30" x 6") 683415 Rack/Tower W/ R.H. & L.H. Racks Box 1: 10 lbs (12" x 30" x 6")



683115 Weak Wall Support



Apron and Glove Combination Rack

ASSEMBLED SIZE: 17" H x 2834" W (91/2" Baseplate)

COLORS: White, Custom Options

 Rounded corners to prevent accidental apron tears or skin punctures

- Quick, convenient storage
- Stores 1 apron and 1 pair of lead gloves
- · Sturdy & compact

683430

- Mounts quickly and easily
- · Heavy gauge steel mounting plate
- · Half inch outside diameter tubing
- · Electro static powder coated

683430 SHIPPING

Box 1: 9 lbs. (19" x 30" x 11")



683429

Wall Mounted Rack

ASSEMBLED SIZE: 12" H x 36" W X 26" D **COLORS:** White, Custom Options

- Heavy gauge steel
- 200 lbs. capacity
- Powder coated
- Scratch resistant
- · Easy to install
- · Requires only minimal space
- Stores up to 10 aprons
- Optional vest and skirt adapter (Part Number 683000)

683429 SHIPPING

Box 1: 40 lbs (16" x 58" x 9")

683420

Apron and Glove Storage Rack

ASSEMBLED SIZE: 25" H x 28" W x 6" D

COLORS: White, Custom Options

- · Quick, convenient storage
- Sturdy
- Compact
- Mounts quickly and easily
- · Heavy gauge steel mounting plate
- Half inch outside diameter tubing
- · Electro static powder coated
- · Great for dental

aprons

683420 SHIPPING

Box 1: 15 lbs (26" x 31" x 8")



Protective Accessories Rack



ASSEMBLED SIZE: 21" H x 18½" x 5" D

COLORS: White, Custom Options

- Storage unit for two or more aprons, a pair of glasses and a pair of lead gloves
- Mounts quickly and easily
- 18" wide
- Extends a mere 4.5" from the wall
- Contains no sharp edges
- Perfectly suited to small areas
- Powder coated heavy steel construction

683102 SHIPPING

Box 1: 8 lbs (19" x 23" x 8")

683424 | Single E





ASSEMBLED SIZE: 6" H x 18 ½" W x 3" D

COLORS: White, Custom Options

- · Storage unit for one apron
- · Mounts quickly and easily
- Contains no sharp edges
- Perfectly suited to small areas
- Powder coated heavy steel construction

683102 SHIPPING

Box 1: 3 lbs (24" x 4" x 8")

683452

Locker Size Hanger



SIZE:

6" H x 14 1/2" W

COLORS:

White, Custom Options



Optional hook (-H)

- Securely hold a radiation protection apron
- · Constructed from heavy gauge steel tube
- Designed to fit in personal locker
- Powder coated

683450

Deluxe Custom Hanger



SIZE:

7½" x 22½"

COLORS:

Chrome, Custom Options



Optional hook (-H)

- Securely hold a radiation protection apron
- Constructed from heavy gauge steel tube
- · Chrome plated
- Available in a pack of 5 hangers
- Part Number 683451

683412 Two Peg Wall Mounted Rack



683412 683412-LS

ASSEMBLED SIZE: 9" H x 15 1/4" W x 71/4" D

COLORS: White, Custom Options

SHIPPING: Box: 11" x 18" x 9", 6 lbs / 2.72 kg

683411 Eight Peg Wall Mounted Rack



683411

683411-LS

Eight Peg Wall Mounted Rack Eight Peg Wall Mounted Rack with Locking System

ASSEMBLED SIZE: $9'' H \times 46 \frac{1}{2}'' W \times 7\frac{1}{4}'' D$ **COLORS:** White, Custom Options

SHIPPING: Box: 13" x 47" x 10", 21 lbs / 9.53 kg

683410

Six Peg Wall Mounted Rack



683410 683410-LS

Six Peg Wall Mounted Rack Six Peg Wall Mounted Rack with Locking System

ASSEMBLED SIZE: 9" H x 34 ½" W x 7 ¼" D

COLORS: White, Custom Options

SHIPPING: Box: 11" x 37" x 9", 16 lbs / 7.26 kg

LS Locking System



- Available in 2 peg, 6 peg, or 8 peg configurations
- Inexpensive and very effective
- Heavy gauge steel plate
- Electrostatic powder coated
- Tilted storage bars so aprons wont slip off
- Requires minimal space
- Includes lock



Curtains

INFAB offers customizable radiation protection curtains of superior quality, available in various protection levels, sizes, colors, and fabrics. Our durable curtain tracks are tailored to your specifications for the perfect room fit.

Contact us with your specifications for a customized quote.

Lead Curtain



Our lead curtains include one grommet hole with a "S" hook every six inches.

COLORS: Classic Nylon Colors

CORE: Lead, Lead-Free

PROTECTION: .25mm LE, .35mm LE, .50mm LE,

.75mm LE, 1.0mm LE

SIZE: Per square foot

683650 .25mm LE curtain with grommets (per sq. ft.)

683655 .35mm LE curtain with grommets (per sq. ft.)

683660 .50mm LE curtain with grommets (per sq. ft.)


683670 .75mm LE curtain with grommets (per sq. ft.)

683675 1.0mm LE curtain with grommets (per sq. ft.)

119

Straight Track for Curtain

Mill finish 6063-T5 extruded aluminum 1-3/4" wide x 2" high, .080 thick. **Priced per linear foot.**



OPTIONS:



Clamp Hanger

Formed steel brackets clamp to track. Adjusts to any position.
Suspend track with welded chain or wire rope. 1 pair pictured.



Ceiling Splice

To align and lock track sections together on ceiling mounted tracks.

1 pair pictured.

Note: Cannot be used with No. 132 Overlap Master or No. 10 Pivot Device due to interference with the wheels.



Trim Chain

3 links No.10 single jack chain added to carriers to provide 3" of curtain height adjustment

Lead Curtains

These scatter shields are attached to the table to protect both the operator and the patient from harmful radiation.

Easy Setup & Installation

Easily slides onto most tables with side rails and quickly locks in to place with an adjustable knob.

077036

Single Panel Scatter Shield

The below-table protection screen is attached to the table to protect the operator's lower body from radiation. The upper part of the screen (removable) protects against scatter radiation from the patient's body. The lower part protects the operator's lower body against the radiation from the tube source.


UPPER SCREEN

- .50mm LE with stiff support
- 11" H x 26" W
- · Hooks into mobile arm that can be easily removed

LOWER SCREEN

- .50mm LE made up of 4 strips
- 30" L x 26" W

Universal adapter bracket fits almost every table with a side rail





Multiple Panel Scatter Shield

The below-table protection screens are attached to the table to protect the operator's lower body from radiation. The upper part of the screen (removable) protects against scatter radiation from the patient's body. The lower part protects the operator's lower body against the radiation from the tube source.

UPPER SCREEN

- .50mm LE with stiff support
- 11" H x 26" W
- · Hooks into mobile arm that can be easily removed

LOWER SCREEN

- .50mm LE made up of 4 strips
- 30" L x 26" W

ADDITIONAL STRIP (INCLUDED)

- Applied with addition of intermediate joint
- 30" L x 10" W






Custom Lengths Available


Saddle Shield Radiation Protection Curtains

Saddle Shield Radiation Protection Curtians designed to help protect the body from being exposed to radiation.

- .50mm LE
- Significantly reduces scatter radiation
- Overlapping split front panels
- No special hardware or modifications to imaging equipment required
- · Available in any of our fabric colors
- Provide exact dimensions and drawing to fit your specific size table







CORE:

Patient Protection Set

INCLUDES: Storage rack with 4 aprons (Toddler, Child, Average, Large)

COLORS: Classic Nylon Colors

PROTECTION:

.25mm LE, .35mm LE, .50mm LE

Lead, Lead-Free

SIZES: Toddler, Child, Average Adult, Large Adult









683401 11.5" W x 9" H Toddler Apron

683402 13" W x 13" H Child's Apron

683403 17.5" W x 14" H Average Adult Apron

683404 21" W x 17" H Large Adult Apron



Half Apron

HSV

Hook and Loop Closure Half Apron

HSV-S1 12" x 24" Half apron with hook and loop closure

HSV-M1 18" x 24" Half apron with hook

and loop closure

HSV-L1 24" x 24" Half apron with hook and loop closure

Standard hook and loop closure

ASB

Buckle Closure Half Apron

ASB-S1 12" x 24" Half apron with buckle closure

ASB-M1 18" x 24" Half apron with buckle closure

ASB-L1 24" x 24" Half apron with buckle closure



PP-ES Disposable Eye Shields



- Minimum 40% dose reduction
- Box of 50
- Barium sulfate shields are non-latex and 100% disposable

PP-TS

Disposable Thyroid Shield



- Minimum 60% dose reduction
- Box of 50
- Barium sulfate shields are non-latex and 100% disposable

684120 Ovarian Shields



- Set of the three (Infant, Youth and Adult)
- Designed especially for ovarian procedures
- 1.0mm LE
- Easy to use and explain to your patient
- Available in our Classic Nylon Colors
- Durable
- · Easily wipes clean

PGS

Gonad Shields



- Set of three or available individually:
- (Infant, Youth and Adult)
- 3/4" buckle strap
- Easy fastening around the waist
- .50mm LE
- Available in our Classic Nylon Colors



Triangular Gonad Shields



- Set of three (Infant, Youth and Adult)
- 1/2" inch tie strap
- Easy fastening around the waist
- .50 mm Pb equivalent



PTD | Patient Transfer Device

- Radiolucent plastic
- 18" or 22" wide models
- Also available with storage rack
- Large hand holds
- One inch wide wrist straps
- Anti-static
- Thin
- Board slides easily from surface to surface
- Tested up to 300 lbs.

PTD-18, PTD-22 MODELS:


COLORS: White

SHIPPING: PTD-18

Box: 73" x 23" x 1", 11 lbs / 4.99 kg

PTD-22

Box: 73" x 23" x 1", 13 lbs / 5.90 kg



683399

Patient Transfer Rack

Wall mounted rack for PTD storage

9" H X 15" ¼ W x 6 ¾" D SIZE

Table Pads and Covers



INF-9108

Canon Aquilion Table Pad w/ Fluid Dam





INF-112-SCB

Circular Disk with ScanCoat®



INF-463

MRI Comfort Pillow



INF-520

INF-9121

Premium Heavy Duty Table Pad

Aquilion Table Pad Cover



INF-9007

Forehead Strap with Adult Pad



INF-9409

Canon Interventional Table Pad



INF-9008

Adult Head Rest



INF-33535

Philips AD7 Neuro Table Pad

Wedges and Blocks









INF-145

INF-141-SCB

INF-144-SCB 7"H x 7"W x 14"L

INF-144-UF

7"H x 7"W x 14"L

9"H x 9"W x 30"L

Spinal Wedge 45° Scancoat®

Spinal Wedge 45° Scancoat®

Spinal Wedge 45° UltraFoam

7" H x 7" W x 21.25" L Spinal Wedge - 45°



INF-105

Wedge - 18.75° 3.75" H x 9" W x 8" L



INF-9009 Tilt Wedge

INF-9017 **Knee Wedge**



INF-117

Wedge - 16° 2.5"H x 7"W x 10"L



INF-33210

Stress Knee Wedge



INF-145-SCB

INF-145-20 7"H x 7"W x 21.5"L Spinal Wedge 45°

7"H x 7"W x 21.5"L Spinal Wedge 45° Scancoat®

with Heavy Duty Vinyl Cover



INF-113-SCB

Wedge - 12° with ScanCoat®



INF-215

Endovaginal Wedge



INF-114-SCB

Rectangle with ScanCoat®



INF-193

Leg Rest with Knee Cutouts



INF-193-SCB

ScanCoat® Leg Rest with Knee Cutouts

7"H x 7"W x 21.5"L Spinal Wedge 45° with Clear Vinyl Cover

Hand and Finger Positioning



INF-121

Oblique Finger Block



INF-431

Dual Lateral Finger Block

Arm Positioning



INF-261

Rest Eazy Armboard GE

INF-262

Rest Eazy Armboard Siemens & Philips



INF-263

Rest Eazy Armboard Canon 850B

INF-265

Rest Eazy Armboard Canon 880B



INF-9406

Infinix Table Arm Support

Imaging Kits

Routine X-Ray Kit

10-piece foam positioning aids commonly used in a variety of imaging applications including general positioning, CT scans, MRI. nuclear medicine or ultrasound

Includes

(1) 112 - circular disc

(1) 114 - rectangle

(2) 116 - wedges

(2) 117 - wedges

(1) 118 - wedge

(1) 121 - oblique finger block

(2) 122 - wedges

Table Pads & Covers



Open Cell Foam

Uncovered standard foam, charcoal colored, open cell foam, radiolucent, fire retardant, economic and useful for general positioning.



INF-17-SCB

Scancoat® Routine X-Ray Kit

Flexible ScanCoat

State of the art sprayed vinyl coating, withstands tearing or peeling, skid resistant, resists fluid absorption and very low attenuation.

This vinyl coating is ideal for imaging compatibility, cleanability, and contamination control.



Ultrafoam Routine X-Ray Kit

Closed Cell Foam

Firm, closed cell foam, charcoal colored, resists fluid absorption/contamination and is fire retardant. Ultrafoam construction is ideal for firm support during positioning applications.



Pediatric Immobilization

INF-VMR33PUBB

Pediatric Full Body Multi Chamber Splint





INF-VMR38X01
Child Full Body Multi-Chamber Splint

Security and Support Items



White E-Z Strap



INF-168





INF-199

Weight-Bearing Cassette Holder

Specialty Extensions and Extenders

INF-27975

Philips AD7 Bariatric Carbon Fiber Extension - Cardiac Table



INF-33343

Miscellaneous Accessories





INF-27625 Manual Pump



INF-29632

Philips AD7 Mayfield Carbon Fiber Extender - Neuro Table



INF-33532 Steady-Ped™ CT Foot Positioner



INF-30465 Siemens Rail



Weight-Bearing Studies





INF-WBCH2

2 Step Weight Bearing Cassette DR Panel Holder

This two-tiered step holder, made from durable, antimicrobial crosslink foam, supports up to 300 lbs for stable, handrail-free weight-bearing exams with easy maintenance.

Dimensions (LxWxH)

Foam Size: 24" x 16" x 12" First Step: 10" x 16" x 6"

Top Platform: 14" x 16" x 12"

Dimension of the slot: 14"L x 0.625"W x 1.5"D

Table Pads



INF-SPAD-3080

Standard Table Pad - 30x80x1

Color

Blue

Dimensions

30" x 80" x 1"

This standard table pads feature a fire-retardant, antimicrobial vinyl cover, providing a secure and comfortable patient surface. They're easy to clean, radiolucent, and designed for durability, fitting a range of imaging equipment.

FDA

Establishment Registration & Device Listing: INFAB, LLC.
1040 Avenida Acaso
Camarillo, CA 93012
Registration Number: 2024351

Date of Registration Status: 2017 Owner/Operator: INFAB, LLC. 1040 Avenida Acaso Camarillo, CA 93012 Owner/Operator Number: 2024351 1040 Avenida Acaso Camarillo, CA 93012 Phone: 805-987-5255

FDA Certificate

Device Classification Name:	Shield, protective, personnel
510(k) Number	K896289
Device Name	RADIATION PROTECTION APRON
Applicant	INFAB, LLC. 1040 Avenida Acaso Camarillo, CA 93012
Regulation Number	892.6500
Classification Product Code	KPY
Date Received	10/31/1989
Decision Date	12/14/1989
Decision	Substantially equivalent (SE)
Classification Advisory Committee	Radiology
Review Advisory Committee	Radiology
Statement/Summary/Purged Status	Purged, no summary or statement
Туре	Traditional
Reviewed by Third Party	No

510(k) Premarket Notification

Proprietary Name	Non leaded apron
Classification Name	Apron, non leaded
Product Code	EAJ
Device Class	1
Regulation Number	892.6500
Medical Specialty	Radiology
Registered Establishment Name	INFAB, LLC.
Registered Establishment Number	2024351
Owner/Operator	INFAB, LLC.
Owner/Operator Number	2024351
Review Advisory Committee	Radiology
Establishment Operations:	Manufacturer













1. PRICING. DELIVERY AND PAYMENT. The prices for Product delivered under this Order do not include customs charges or duties, or sales, use, excise or similar taxes, or special packaging, or transportation. rigging, dravage, insurance charges and other costs associated with the delivery of Product to the destinations specified by the Customer unless specifically set out on the invoice as individual line items. Therefore Customer will pay directly to Seller ("Seller"), in addition to the prices specified in this Order, any amount set forth on Seller's invoices for customs charges, duties and/or taxes (or provide applicable tax exemption certificates acceptable to the taxing authorities) and special packaging costs, and shall pay directly to the involved carrier(s) all such delivery related costs. All licenses or certificates required for import or export of the Product shall be the responsibility of and obtained at the cost of Customer. Seller's terms are cash upon delivery, unless otherwise set forth in a distribution or reseller agreement. If payment is by credit card, an additional fee will apply. If credit terms are approved by Seller, Customer shall pay all invoices net thirty (30) days after date of shipment. If payment is not made when due. Customer shall be assessed a late charge equal to one and one-half percent (1-1/2%) of the past due balance for each month or partial month following the due date. Additionally, at sellers discretion, all discounts shall be removed and any amounts due shall be the current list price of such items, regardless of any other agreement or discount offered. All deliveries shall be made F.O.B. common carrier. Seller's plant. Title and risk of loss or damage will transfer from Seller to Customer upon delivery of goods at the F.O.B. point. Customer shall notify Seller, in writing, within one (1) calendar day after delivery, of any claimed shortages, damage or of rejection of the delivery. Sufficient detail to establish grounds shall be included in any rejection.

2. PRODUCT SAMPLES. Product samples will be provided to licensed distributors of Seller's product. Upon termination of a distribution arrangement, distributor shall return to Seller, at distributors expense, all samples previously provided to distributor by Seller in resalable as new condition. For any goods not returned in accordance with the above, Distributor will be invoiced for sample product at the same discount established for distributor for production goods. If invoice is not paid within 10 days of receipt, all discounts will be canceled and prices for samples will revert to full List Price.

3. SECURITY INTEREST. Seller reserves, until full payment is received, a Purchase Money Security Interest in each Product Unit and the proceeds of any sale thereof. A copy of this Order may be filed as a Financing Statement with the appropriate state authorities to perfect the security interest of Seller. 4. CANCELLATION OF PRODUCT. Customer hereby acknowledges and agrees that all Product is custom

manufactured for each individual Customer and once production has commenced there can be no cancellation of orders.

5. TERMINATION. This Order may be terminated by either party at any time: (a) if the other party has breached any material provision contained in this Order and has not cured the breach within thirty (30) days of receipt of written notice of the breach; or (b) if the other party petitions for relief under the Bankruptcy Act, if a receiver is appointed to conduct its business, if its makes an assignment for the benefit of creditors or if an involuntary bankruptcy petition is brought against it and has not been discharged within 30 days of date brought. Seller termination of this Order shall be without prejudice to any other remedies Seller may have. In the event Seller terminates this Order pursuant to Article 4. in addition to any other remedies available to Seller. Customer shall be obligated to pay for all Product shipped and shall accept delivery of and pay for all Product on order as of the date of termination. Customer's obligation to pay all charges accrued as of the termination hereof shall survive such termination. 6. GENERAL PROVISIONS. These terms and conditions shall supersede all terms and conditions printed or implied on any purchase order issued by Customer. No other terms or conditions shall be binding upon Customer or Seller unless said terms and conditions are specifically accepted in writing by Customer and Seller. The failure of Customer or Seller to enforce at any time or for any period of time any of the provisions of this Order shall not constitute a waiver of such provisions. Seller shall not be liable for delays or failure to ship for causes beyond Seller's control, affecting it or its suppliers, including, in part; natural disasters: war: Customer's conduct: labor unrest: riot: governmental interference; unavailability or shortage of labor, materials, fuel or power through customary means at normal rates; failure or destruction of plant or equipment arising from any cause whatsoever; or failure of transportation. If any provision of this Order should be determined to be unenforceable or illegal, it shall be deemed severable from the other provisions. which shall remain valid and enforceable. The validity. performance and construction of this Order shall be governed by the laws of the state of California. Customer agrees to accept venue in, and accept the exclusive jurisdiction of, the courts sitting in the state of California. Any disputes arising out of the performance of this Order shall be settled in accordance with the rules of the American Arbitration Association. The arbitrator may award all costs of dispute resolution. including attorneys' fees, to the prevailing party. Seller agrees that the Product to be furnished under this Order was produced in compliance with all applicable federal requirements with respect to fair labor standards and equal employment opportunity.

7. LIMITED WARRANTY ON PRODUCT. Seller warrants that all Products are warranted to be free of defects in

material and workmanship for a period of two (2) years from the date of shipment. This excludes glasses. Evewear shipments in the U.S. are covered by a one (1) vear warranty from date of shipment and exclusions may apply. This excludes negligence or wear and tear, including scratched or broken lenses. Inquire for additional details. Products returned under the above warranty shall be either repaired or replaced at the sole discretion of INFAB. LLC., and is limited to the value of the Products on the date of the original shipment. All replaced parts and Product become the property of Seller. This limited warranty does not include service to repair damage to the Product resulting from customer's negligence, misuse, modification of the Product, or use for purposed other than those intended by its manufacture. Does not cover excessive use or wear and tear from improper storage or customer abuse or failure to follow proper care guidelines. Warranty is voided if any solvent based cleaning solutions are used. Seller's obligations under this limited warranty are conditioned upon Customer's compliance with Seller's reasonable instructions and requests in connection with its performance of such obligations. Service under this limited warranty may be obtained by delivering the Product at Customer's expense (using the original shipping container or its equivalent) during the warranty period to the manufacturer and providing proof of purchase date. Customer shall assume the risk of loss or damage in transit. Seller shall bear the cost for return of repaired or replaced Product under valid warranty claims to Customer by normal commercial means in the continental United States. For further information, refer to the Limited Warranty contained in Seller's standard product literature, if applicable.

NOTE: All aprons must be inspected by the facility before they are put into service. No returns for aprons with alleged pinholes, tears, or cracks will be allowed more than seven (7) days after the aprons have been received by the end user. Protective core material is fragile, easily damaged and therefore great care is needed to protect the integrity of the core material. All aprons are inspected and free of defects when they are shipped. Pinholes, tears, cracks and other damage to the protective core material can be caused by many different factors, but if they are not there when the apron is received and inspected, then they are not the responsibility of the manufacturer and the warranty does not apply.

EXCEPT AS SET FORTH HEREIN AND IN THE LIMITED WARRANTY INCLUDED IN SELLER'S STANDARD PRODUCT LITERATURE, IF APPLICABLE, SELLER HEREBY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, ARISING OUT OF OR IN CONNECTION WITH THE SALE OR USE OF THE EQUIPMENT, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. OTHER THAN AS STATED ABOVE THE LIMITED WARRANTY

SET FORTH IN THIS SECTION, COMBINED WITH THE LIMITED WARRANTIES CONTAINED IN SELLER'S STANDARD PRODUCT LITERATURE. IF APPLICABLE. SHALL CONSTITUTE THE SOLE AND EXCLUSIVE REMEDY OF CUSTOMER AND SHALL ESTABLISH THE SOLE AND EXCLUSIVE LIABILITY OF SELLER. ITS SUCCESSORS OR ASSIGNS IN CONNECTION WITH THE PRODUCT. IN NO EVENT WILL SELLER BE LIABLE TO CUSTOMER FOR ANY DAMAGES. INCLUDING SPECIAL. INCIDENTAL OR CONSEQUENTIAL DAMAGES. ARISING OUT OF THE USE OR INABILITY TO USE SUCH PRODUCT, EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR ANY CLAIM BY ANY OTHER PARTY. SOME STATES DO NOT ALLOW THE LIMITATION OR EXCLUSION OF IMPLIED WARRANTIES OR OF LIABILITY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. SOME STATES DO NOT ALLOW THE LIMITATION OF LIABILITY OR THE EXCLUSION OF IMPLIED WARRANTIES. SO THE ABOVE LIMITATIONS AND EXCLUSIONS MAY NOT APPLY AND CUSTOMER MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

8. DAMAGE IN SHIPMENT. The packaging of INFAB products meets or exceeds all requirements of the Consolidated Freight Classifications. However, all packages should be checked immediately upon arrival at Customer's facility. Should any concealed damage be suspected, the Customer shall note it on the Bill of Lading when received. If any concealed damage is discovered, contact the carrier to schedule an inspection. Any claim must be made directly to the carrier as soon as possible or the claim may not be allowed. Any claim for damage must be made directly with the carrier. INFAB cannot file a claim in the name of or for the benefit of the Customer. Failure to follow this exact procedure could invalidate your claim.

9. DELIVERY. All stock items are shipped from our warehouse the same day if P.O. is received before noon. Otherwise it will ship next day. Non-stock or custom items (such as modified or special size aprons and/or monogramming) are shipped within 7 to 10 days of our receipt of your completed order. All special services such as UPS Blue or Red, Fed-Ex, Airborne, etc. can be accommodated at actual cost.

10. MINIMUM ORDERS. There is a \$100.00 minimum per purchase order.


11. EXCHANGES OR RETURNS. Must have prior approval by notifying us within 5 days of receipt of the order whether shipped direct to you or drop shipped to your customer. All returns must be sent in their original packaging. A 20% restock charge plus all freight charges including the outbound and return freight will be due and payable. Made-to-order items such as aprons and protection garment accessories, or a product with any modification are not returnable. This includes barriers or racks in any other color except our standard Medical White.



View the New Infabcorp.com

Effortless Navigation, Enhanced Experience







- Buyers Guides
- Resources
- Catalogs
- Blog
- Datasheets
- Certifications

Explore the New Custom Apron Configurator

- Easy-to-use interface
- Real-time customization
- Wide range of colors & patterns
- Add logos & monograms







www.orted.mx contacto@orted.mx 844 416 2536

INFAB 2024

CE K IEC DE III